

SFF specifications are available at <http://www.snia.org/sff/specifications>



**SFF-8472**

Specification for  
**Management Interface for SFP+**

Rev 12.2.1      June 8, 2018

Secretariat: SFF TA TWG

**Abstract:** This specification defines an enhanced digital diagnostic monitoring interface for optical transceivers which allows real time access to device operating parameters.

This specification provides a common reference for systems manufacturers, system integrators, and suppliers.

This specification is made available for public review, and written comments are solicited from readers. Comments received by the members will be considered for inclusion in future revisions of this specification.

**POINTS OF CONTACT:**

David Lewis  
Lumentum  
400 N. McCarthy Blvd.  
Milpitas, CA 95035

Ph: 408-546-5448  
Email: [david.lewis@lumentum.com](mailto:david.lewis@lumentum.com)

Chairman SFF TA TWG  
Email: [SFF-Chair@snia.org](mailto:SFF-Chair@snia.org)

## 1 Intellectual Property

2 The user's attention is called to the possibility that implementation of this Specification may require the use  
3 of an invention covered by patent rights. By distribution of this specification, no position is taken with respect  
4 to the validity of a claim or claims or of any patent rights in connection therewith.

5 This specification is considered SNIA Architecture and is covered by the SNIA IP Policy and as a result goes  
6 through a request for disclosure when it is published. Additional information can be found at the following  
7 locations:

- 8 • Results of IP Disclosures: <http://www.snia.org/sffdisclosures>
- 9 • SNIA IP Policy: <http://www.snia.org/ippolicy>

10

## 11 Change History

12

Rev. Number	Description	Date
1.0	Initial Submission of Document, Preliminary	4/5/01
2.0	Draft Second Revision, Preliminary	5/18/01
3.0	Draft Third Revision, Preliminary	6/27/01
4.0	Draft Fourth Revision, Preliminary	10/8/01
5.0	Draft Fifth Revision	11/5/01
6.0	Draft Sixth Revision	11/19/01
7.0	Draft Revision 7.0	01/09/02
8.0	Draft Revision 8.0	02/01/02
9.0	Draft Revision 9.0	03/28/02
9.0	Revision 9.0 Approved for Technical Content	5/02
9.2	Revision 9.2 Submitted for Publication	5/30/02
9.3	Editorial Modifications to rev. 9.2. 9.3 Submitted for Publication	8/01/02
9.4	Add extensions to include additional technologies. Results of Dec. 5 03 discussions. Includes: Support for Multiple Application Selection Reserved values for SFF-8079 in Table 3.1, Table 3.10, Table 3.12, and Table 3.17. Additional transceiver type values in Table 3.5 Additional values in Table 3.1a, 3.5a and 3.5b Additional values in Table 3.12 General editorial modifications.	5/26/04
9.5	Editorial Modifications to rev. 9.4. 9.5 Submitted for Publication.	6/01/04
10.0	Add extensions to the following tables: Table 3.1b, 3.2, 3.4, 3.5, 3.5b, 3.7, 3.11, 3.12, 3.21 Editorial changes to the following tables: Table 3.2, 3.3, 3.4, 3.6, 3.7, 3.9, 3.10, 3.17 Add table 3.1a, 3.6a, 3.18a and references to 8079/8431.	2/06/07
10.2	Editorial updates per ballot feedback. Technical update to Tables 3.1.	6/01/07
10.3	Edits per SFF-8431	12/07/07
10.4	Edits per SFF-8431, add bits in Table 3.5 and add Tables 3.6b and 3.6c for SFF-8431 and SFF-8461. Add Table 3.1c.	1/30/09

Rev. Number	Description	Date
11.0	Edits per FC-PI-5 (16GFC) to tables 3.6a,3.12,	5/21/10
11.1	Table 3-2 Identifier Values and modified to point to SFF-8024 as the reference for later values and codes.	10/26/12
11.2	Added FC-PI-6 to Table 3.6a Rate Identifier	6/6/13
11.3	Added OM4 to Table 3.1 and Address A0h, Byte 18. Added 3200 MBytes to Table 3.5 Byte 10 Bit 3.	6/11/13
11.4	Added optional support for: CDR/Retimer in transceiver; Variable Receiver Decision Threshold; Rate Select logic for 10G/8G with bypassable CDRs; Table addressing in upper half of address A2h; Laser temperature and TEC current alarms and warnings; Compliance codes for OTN 2km, 40km and 80km profiles in G.959.1.	7/24/14
11.8	Introduced a major style change. The addition of Section, Figure, and Table numbering makes correlation of previous Change History difficult for readers, so a Cross Reference of Figures and Tables was prepared.	7/31/14
11.9	Re-defined byte 36 of Table 5-4 Transceiver Compliance Codes to be 'Extended Compliance Codes' Added definitions of the coding formats for optional laser temperature and TEC current to Section 9.2. Added Table 9-3 and Table 9-4 to illustrate the TEC current 2's complement format. Corrected Table 10-2 Retimer/CDR Rate Select Logic Table 'Bit 64.1 of A2h' to be 'Bit 64.3 of A0h' Added Byte 64 Bit 5 in Table 8-3 to identify transceivers with Power Level 3 plus: o Renamed t_power_level2 to t_hpower_level in Table 8-7 and modified the contents of the parameter and conditions cells. o Changed the description for bits 1 and 0 in Table 10-1.	8/14/14
11.9b	Moved CDR unlocked flags from byte A2h 115 to 119. Added Tx input EQ and RX output EMPH to bytes A2h 114-115 Added Tables 9-13 and 9-14 Tx input EQ and Rx output EMPH values.	8/27/14
12.0	The mix of references to tables and pages was reduced to use only pages Consolidated the two figures in Section 4 into one. Corrected Table 4-4. Byte 12 G959 value from 0Ah, to 6Bh Removed P1I1-2D1, P1S1-2D2, and P1L1-2D2 from Table 5-6	8/28/14
12.1	During the review of Rev 12.0 it was recommended that: - the contents of Table 5-3 Connector Values be moved to SFF-8024. - the contents of Table 5-7 Encoding Values be returned to SFF-8024.	9/12/14
12.2	Further updates to clarify operation of rate select with byte content 0Eh	11/21/14
12.3	Added bits to support 64GFC speed negotiation Converted to SNIA template. Updated hyperlinks throughout.	TBD

1

2

## 1 Foreword

2 The development work on this specification was done by the SNIA SFF TWG, an industry group. Since its  
3 formation as the SFF Committee in August 1990, the membership has included a mix of companies which  
4 are leaders across the industry.

5 When 2 1/2" diameter disk drives were introduced, there was no commonality on external dimensions e.g.  
6 physical size, mounting locations, connector type, connector location, between vendors. The SFF Committee  
7 provided a forum for system integrators and vendors to define the form factor of disk drives.

8 During their definition, other activities were suggested because participants in SFF faced more challenges  
9 than the form factors. In November 1992, the charter was expanded to address any issues of general interest  
10 and concern to the storage industry. The SFF Committee became a forum for resolving industry issues that  
11 are either not addressed by the standards process or need an immediate solution.

12 In July 2016, the SFF Committee transitioned to SNIA (Storage Networking Industry Association), as a TA  
13 (Technology Affiliate) TWG (Technical Work Group).

14 Industry consensus is not a requirement to publish a specification because it is recognized that in an  
15 emerging product area, there is room for more than one approach. By making the documentation on  
16 competing proposals available, an integrator can examine the alternatives available and select the product  
17 that is felt to be most suitable.

18 SFF meets during the T10 (see [www.t10.org](http://www.t10.org)) and T11 (see [www.t11.org](http://www.t11.org)) weeks, and SSWGs (Specific  
19 Subject Working Groups) are held at the convenience of the participants.

20 Many of the specifications developed by SFF have either been incorporated into standards or adopted as  
21 standards by ANSI, EIA, JEDEC and SAE.

22 For those who wish to participate in the activities of the SFF TWG, the signup for membership can be found  
23 at:

24 <http://www.snia.org/sff/join>

25 The complete list of SFF Specifications which have been completed or are currently being worked on by the  
26 SFF Committee is contained in the document SFF-8000 which can be found at:

27 <http://www.snia.org/sff/specifications>

28 Suggestions for improvement of this specification will be welcome, they should be submitted to:

29 <http://www.snia.org/feedback>

30

1	<b>CONTENTS</b>	
2	1 Scope	8
3	1.1 Copyright	8
4	1.2 Disclaimer	8
5	2 References	9
6	2.1 Industry Documents	9
7	3 Enhanced Digital Diagnostic Interface Definition	9
8	3.1 Overview	9
9	4 Memory Organization	10
10	4.1 Two-wire Interface Fields	10
11	4.2 Pages	10
12	4.3 Data Fields	11
13	5 Identifiers and Codes	14
14	5.1 Physical Device Identifier Values [Address A0h, Byte 0]	14
15	5.2 Physical Device Extended Identifier Values [Address A0h, Byte 1]	14
16	5.3 Connector Values [Address A0h, Byte 2]	15
17	5.4 Transceiver Compliance Codes [Address A0h, Bytes 3-10 and 36]	15
18	5.5 SONET Compliance Code Specifiers [Address A0h, Bytes 3-10]	17
19	5.6 Encoding [Address A0h, Byte 11]	19
20	5.7 BR, nominal [Address A0h, Byte 12]	19
21	5.8 Rate Identifier [Address A0h, Byte 13]	19
22	6 Link Length	20
23	6.1 Length (single mode)-km [Address A0h, Byte 14]	20
24	6.2 Length (single mode)-(100's)m [Address A0h, Byte 15]	20
25	6.3 Length (50um, OM2) [Address A0h, Byte 16]	20
26	6.4 Length (62.5um, OM1) [Address A0h, Byte 17]	20
27	6.5 Length (50um, OM4) and Length (Active Cable or Copper) [Address A0h, Byte 18]	20
28	6.6 Length (50um, OM3) [Address A0h, Byte 19]	20
29	7 Vendor Fields	21
30	7.1 Vendor name [Address A0h, Bytes 20-35]	21
31	7.2 Vendor OUI [Address A0h, Bytes 37-39]	21
32	7.3 Vendor PN [Address A0h, Bytes 40-55]	21
33	7.4 Vendor Rev [Address A0h, Bytes 56-59]	21
34	8 Link Characteristics	21
35	8.1 Optical and Cable Variants Specification Compliance [Address A0h, Bytes 60-61]	21
36	8.2 CC_BASE [Address A0h, Byte 63]	22
37	8.3 Option Values [Address A0h, Bytes 64-65]	23
38	8.4 BR, max [Address A0h, Byte 66]	23
39	8.5 BR, min [Address A0h, Byte 67]	24
40	8.6 Vendor SN [Address A0h, Bytes 68-83]	24
41	8.7 Date Code [Address A0h, Bytes 84-91]	24
42	8.8 Diagnostic Monitoring Type [Address A0h, Byte 92]	24
43	8.9 Addressing Modes	24
44	8.10 Enhanced Options [Address A0h, Byte 93]	25
45	8.11 SFF-8472 Compliance [Address A0h, Byte 94]	27
46	8.12 CC_EXT [Address A0h, Byte 95]	27
47	9 Diagnostics	27

1	9.1	Overview [Address A2h]	27
2	9.2	Internal Calibration	28
3	9.3	External Calibration	30
4	9.4	Alarm and Warning Thresholds [Address A2h, Bytes 0-39]	31
5	9.5	Calibration Constants for External Calibration Option [Address A2h, Bytes 56-91]	33
6	9.6	CC_DMI [Address A2h, Byte 95]	35
7	9.7	Real Time Diagnostic and Control Registers [Address A2h, Bytes 96-111]	35
8	9.8	Alarm and Warning Flag Bits [Address A2h, Bytes 112-117]	36
9	10	Extended Information	39
10	10.1	Extended Module Control/Status Bytes [Address A2h, Bytes 118-119]	39
11	10.2	Vendor Specific Locations [Address A2h, Bytes 120-126]	40
12	10.3	Optional Page Select Byte [Address A2h, Byte 127]	40
13	10.4	User Accessible EEPROM Locations [Address A2h, Page 00h / 01h, Bytes 128-247]	41
14	10.5	Vendor Specific Control Function Locations [Address A2h, Page 00h / 01h, Bytes 248-255]	41
15	10.6	Variable Receiver Decision Threshold Control [Address A2h, Page 02h, Bytes 130-131]	41
16			
17		<b>FIGURES</b>	
18	Figure 4-1	Two-wire Interface Fields	10
19			
20		<b>TABLES</b>	
21	Table 4-1	Data Fields - Address A0h	11
22	Table 4-2	Data Fields - Address A2h	12
23	Table 4-3	Data Fields - Address A2h Page Tables	12
24	Table 4-4	Transceiver Identification/Performance Examples	13
25	Table 4-5	Copper Cable Identification/Performance Examples	14
26	Table 5-1	Physical Device Identifier Values	14
27	Table 5-2	Physical Device Extended Identifier Values	15
28	Table 5-3	Transceiver Compliance Codes	16
29	Table 5-4	SONET Compliance Code Specifiers	17
30	Table 5-5	Transceiver Identification Examples	18
31	Table 5-6	Rate Identifier	19
32	Table 8-1	Passive Cable Specification Compliance (A0h Byte 8 Bit 2 set)	21
33	Table 8-2	Active Cable Specification Compliance (A0h Byte 8 Bit 3 set)	22
34	Table 8-3	Option Values	23
35	Table 8-4	Date Code	24
36	Table 8-5	Diagnostic Monitoring Type	25
37	Table 8-6	Enhanced Options	26
38	Table 8-7	I/O Timing for Soft Control & Status Functions	26
39	Table 8-8	SFF-8472 Compliance	27
40	Table 9-1	Bit Weights (Degrees C) for Temperature Reporting Registers	29
41	Table 9-2	Digital Temperature Format	29
42	Table 9-3	Bit Weights (mA) for TEC current Reporting Registers	29
43	Table 9-4	TEC current Format	30
44	Table 9-5	Alarm and Warning Thresholds	32
45	Table 9-6	Calibration Constants for External Calibration Option	33
46	Table 9-7	Unsigned Fixed-Point Binary Format for Slopes	34
47	Table 9-8	Format for Offsets	34
48	Table 9-9	IEEE-754 Single-Precision Floating Point Number Format	34
49	Table 9-10	Example of Floating Point Representation	35
50	Table 9-11	A/D Values and Status Bits	35
51	Table 9-12	Alarm and Warning Flag Bits	37

1	Table 9-13 Input Equalization (Address A2H Byte 114)	38
2	Table 9-14 Output Emphasis Control (Address A2H Byte 115)	38
3	Table 10-1 Extended Module Control/Status Bytes	39
4	Table 10-2 Retimer/CDR Rate Select Logic Table	40
5	Table 10-3 Optional Page Select Byte	40
6	Table 10-4 User Accessible EEPROM Locations	41
7	Table 10-5 Vendor Specific Control Function Locations	41
8	Table 10-6 Variable Receiver Decision Threshold Control	41
9		
10		

## 1 **1 Scope**

2 This document defines an enhanced memory map with a digital diagnostic monitoring interface for optical  
3 transceivers that allows pseudo real time access to device operating parameters. It also adds new options to  
4 the previously defined two-wire interface ID memory map that accommodate new transceiver types that were  
5 not considered in the SFP MSA or GBIC documents.

6 The interface is an extension of the two-wire interface ID interface defined in the GBIC specification as well as  
7 the SFP MSA. Both specifications define a 256 byte memory map in EEPROM which is accessible over a 2  
8 wire serial interface at the 8 bit address 1010000X (A0h). The digital diagnostic monitoring interface makes  
9 use of the 8 bit address 1010001X (A2h), so the originally defined two-wire interface ID memory map remains  
10 unchanged. The interface is backward compatible with both the GBIC specification and the SFP MSA.

11 In order to provide memory space for future extensions, multiple optional pages are defined for the upper 128  
12 bytes of the A2h memory space.

### 13 **1.1 Copyright**

14 The SNIA hereby grants permission for individuals to use this document for personal use only, and for  
15 corporations and other business entities to use this document for internal use only (including internal  
16 copying, distribution, and display) provided that:

17

1. Any text, diagram, chart, table or definition reproduced shall be reproduced in its entirety with no alteration, and,
2. Any document, printed or electronic, in which material from this document (or any portion hereof) is reproduced shall acknowledge the SNIA copyright on that material, and shall credit the SNIA for granting permission for its reuse.

18

19 Other than as explicitly provided above, there may be no commercial use of this document, or sale of any  
20 part, or this entire document, or distribution of this document to third parties. All rights not explicitly granted  
21 are expressly reserved to SNIA.

22 Permission to use this document for purposes other than those enumerated (Exception) above may be  
23 requested by e-mailing [copyright\\_request@snia.org](mailto:copyright_request@snia.org). Please include the identity of the requesting individual  
24 and/or company and a brief description of the purpose, nature, and scope of the requested use. Permission  
25 for the Exception shall not be unreasonably withheld. It can be assumed permission is granted if the  
26 Exception request is not acknowledged within ten (10) business days of SNIA's receipt. Any denial of  
27 permission for the Exception shall include an explanation of such refusal.

### 28 **1.2 Disclaimer**

29 The information contained in this publication is subject to change without notice. The SNIA makes no  
30 warranty of any kind with regard to this specification, including, but not limited to, the implied warranties of  
31 merchantability and fitness for a particular purpose. The SNIA shall not be liable for errors contained herein or  
32 for incidental or consequential damages in connection with the furnishing, performance, or use of this  
33 specification.

34 Suggestions for revisions should be directed to <http://www.snia.org/feedback/>

35



## 1 2 **References**

### 2 2.1 **Industry Documents**

3	-	INF-8074	SFP (Small Formfactor Pluggable) 1 Gb/s Transceiver
4		SFF-8024	SFF Committee Cross Reference to Industry Products
5		SFF-8053	GBIC (Gigabit Interface Converter)
6		SFF-8079	SFP Rate and Application Selection
7		SFF-8089	SFP Rate and Application Codes
8		SFF-8418	SFP+ 10 Gb/s Electrical Interface
9		SFF-8419	SFP+ Power and Low Speed Interface
10		SFF-8690	Tunable SFP+ Memory Map for ITU Frequencies

## 11 3 **Enhanced Digital Diagnostic Interface Definition**

### 12 3.1 **Overview**

13 The enhanced digital diagnostic interface is a superset of the MOD\_DEF interface defined in the SFP MSA  
14 document dated September 14, 2000, later submitted to the SFF Committee as INF-8074. The 2 wire  
15 interface pin definitions, hardware, and timing are clearly defined there.

16 This document describes an extension to the memory map defined in the SFP MSA (see Figure 4-1). The  
17 enhanced interface uses the two wire serial bus address 1010001X (A2h) to provide diagnostic information  
18 about the module's present operating conditions. The transceiver generates this diagnostic data by  
19 digitization of internal analog signals. Calibration and alarm/warning threshold data is written during device  
20 manufacture.

21 All bits that are unallocated or reserved for SFF-8472 shall be set to zero and/or ignored.

22 Bits labeled as reserved or optional for other usage, such as for SFF-8079, shall be implemented per such  
23 other documents, or set to zero and/or ignored if not implemented.


24 If optional features for SFF-8472 are implemented, they shall be implemented as defined in SFF-8472. If they  
25 are not implemented, then write bits will be ignored, and state bits shall be set to zero.

26 Additional A0h and A2h memory allocations were provided in revision 9.5 to support multi-rate and application  
27 selection as defined in the SFF-8079 and SFF-8089 specifications.

28 Various extensions have been made in revisions since revision 10.4 . These include adding new connectors,  
29 industry form factors, transceiver codes and controls for transceiver features.

1 **4 Memory Organization**

2 **4.1 Two-wire Interface Fields**



3  
4 **FIGURE 4-1 TWO-WIRE INTERFACE FIELDS**

5 **4.2 Pages**

6 The optional Page Select byte expands the range of information that can be provided by the manufacturer.  
7 Where used in this specification the Page ID is defined in hexadecimal. Note: Vendor Specific IDs may be  
8 password-protected.

## 1 4.3 Data Fields

2 **TABLE 4-1 DATA FIELDS - ADDRESS A0H**

A0h	# Bytes	Name	Description
<b>BASE ID FIELDS</b>			
0	1	Identifier	Type of transceiver (see Table 5-1)
1	1	Ext. Identifier	Extended identifier of type of transceiver (see Table 5-2)
2	1	Connector	Code for connector type (see SFF-8024 Transceiver Management)
3-10	8	Transceiver	Code for electronic or optical compatibility (see Table 5-3)
11	1	Encoding	Code for high speed serial encoding algorithm (see SFF-8024 Transceiver Management)
12	1	BR, Nominal	Nominal signalling rate, units of 100MBd. (see details for rates > 25.0Gb/s)
13	1	Rate Identifier	Type of rate select functionality (see Table 5-6)
14	1	Length(SMF,km)	Link length supported for single mode fiber, units of km
15	1	Length (SMF)	Link length supported for single mode fiber, units of 100 m
16	1	Length (50um)	Link length supported for 50 um OM2 fiber, units of 10 m
17	1	Length (62.5um)	Link length supported for 62.5 um OM1 fiber, units of 10 m
18	1	Length (OM4 or copper cable)	Link length supported for 50um OM4 fiber, units of 10m. Alternatively copper or direct attach cable, units of m
19	1	Length (OM3)	Link length supported for 50 um OM3 fiber, units of 10 m
20-35	16	Vendor name	SFP vendor name (ASCII)
36	1	Transceiver	Code for electronic or optical compatibility (see Table 5-3)
37-39	3	Vendor OUI	SFP vendor IEEE company ID
40-55	16	Vendor PN	Part number provided by SFP vendor (ASCII)
56-59	4	Vendor rev	Revision level for part number provided by vendor (ASCII)
60-61	2	Wavelength	Laser wavelength (Passive/Active Cable Specification Compliance)
62	1	Unallocated	
63	1	CC_BASE	Check code for Base ID Fields (addresses 0 to 62)
<b>EXTENDED ID FIELDS</b>			
64-65	2	Options	Indicates which optional transceiver signals are implemented (see Table 8-3)
66	1	BR, max	Upper bit rate margin, units of % (see details for rates > 25.0Gb/s)
67	1	BR, min	Lower bit rate margin, units of % (see details for rates > 25.0Gb/s)
68-83	16	Vendor SN	Serial number provided by vendor (ASCII)
84-91	8	Date code	Vendor's manufacturing date code (see Table 8-4)
92	1	Diagnostic Monitoring Type	Indicates which type of diagnostic monitoring is implemented (if any) in the transceiver (see Table 8-5)
93	1	Enhanced Options	Indicates which optional enhanced features are implemented (if any) in the transceiver (see Table 8-6)
94	1	SFF-8472 Compliance	Indicates which revision of SFF-8472 the transceiver complies with. (see Table 8-8).
95	1	CC_EXT	Check code for the Extended ID Fields (addresses 64 to 94)
<b>VENDOR SPECIFIC ID FIELDS</b>			
96-127	32	Vendor Specific	Vendor Specific EEPROM
128-255	128	Reserved	Reserved for SFF-8079

3

4

TABLE 4-2 DATA FIELDS - ADDRESS A2H

A2h	# Bytes	Name	Description
<b>DIAGNOSTIC AND CONTROL/STATUS FIELDS</b>			
0-39	40	A/W Thresholds	Diagnostic Flag Alarm and Warning Thresholds (see Table 9-5)
40-55	16	Optional A/W Thresholds	Thresholds for optional Laser Temperature and TEC Current alarms and warnings (see Table 9-5)
56-91	36	Ext Cal Constants	Diagnostic calibration constants for optional External Calibration (see Table 9-6)
92-94	3	Unallocated	
95	1	CC_DMI	Check code for Base Diagnostic Fields (addresses 0 to 94)
96-105	10	Diagnostics	Diagnostic Monitor Data (internally or externally calibrated) (see Table 9-11)
106-109	4	Optional Diagnostics	Monitor Data for Optional Laser temperature and TEC current (see Table 9-11)
110	1	Status/Control	Optional Status and Control Bits (see Table 9-11)
111	1	Reserved	Reserved for SFF-8079
112-113	2	Alarm Flags	Diagnostic Alarm Flag Status Bits (see Table 9-12)
114	1	Unallocated	
115	1	CDR Unlocked	Optional flags indicating that Tx or Rx CDR is unlocked
116-117	2	Warning Flags	Diagnostic Warning Flag Status Bits (see Table 9-12)
118-119	2	Ext Status/Control	Extended module control and status bytes (see Table 10-1)
<b>GENERAL USE FIELDS</b>			
120-126	7	Vendor Specific	Vendor specific memory addresses (see Table 10-3)
127	1	Table Select	Optional Page Select (see Table 10-3)

TABLE 4-3 DATA FIELDS - ADDRESS A2H PAGE TABLES

A2h	# Bytes	Name	Description
<b>Page 00-01h</b>			
128-247	120	User EEPROM	User writable non-volatile memory (see Table 10-4)
248-255	8	Vendor Control	Vendor specific control addresses (see Table 10-5)
<b>Page 02h</b>			
128-129	2	Reserved	Reserved for SFF-8690 (Tunable Transmitter)
130	1	Reserved	Reserved for future receiver controls
131	1	Rx Decision Threshold	RDT value setting
132-172	41	Reserved	Reserved for SFF-8690
173-255	83	Unallocated	

The examples of transceiver and copper cable performance codes below are provided for illustration. Compliance to additional standards and technologies is possible so bits other than those indicated in each row may also be set to indicate compliance to these additional standards and technologies.

1

TABLE 4-4 TRANSCEIVER IDENTIFICATION/PERFORMANCE EXAMPLES

Transceiver Type	Transceiver Description	Address A0h						Wave-length Fields Bytes 60 & 61
		Rate and Distance Fields						
		Byte 12	Byte 14	Byte 15	Byte 16	Byte 17	Byte 18	
<b>100-M5-SN-I and 100-M6-SN-I</b>	1062.5 MBd MM 850nm 500m/50um, 300m/62.5um	0Bh	00h	00h	32h	1Eh	00h	0352h
<b>200-SM-LC-L and 100-SM-LC-L</b>	2125 MBd and 1062.5 MBd 10km SM 1310nm	15h *3	0Ah *3	64h *3	00h	00h	00h	051Eh
<b>400-M5-SN-I and 400-M6-SN-I 4</b>	4250 MBd MM 850nm 150m/50um, 70m/62.5um	2Bh *3	00h	00h	0Fh *3	07h *3	00h	0352h
<b>400-SM-LC-M</b>	4250 MBd SM 1310nm 4km "medium" length	2Bh *3	04h	28h	00h	00h	00h	051Eh
<b>400-SM-LC-L</b>	4250 MBd SM 1310nm 10km "long" length	2Bh *3	0Ah	64h	00h	00h	00h	051Eh
<b>200-SM-LL-V and 100-SM-LL-V</b>	2125 MBd and 1062.5 MBd 50km SM 1550nm	15h *3	32h	FFh	00h	00h	00h	060Eh
<b>ESCON SM</b>	200 MBd 20km SM 1310nm	02h	14h	C8h	00h	00h	00h	051Eh
<b>100BASE-LX10</b>	125 MBd 10km SM 1310nm	01h	0Ah	64h	00h	00h	00h	051Eh
<b>1000BASE-T</b>	1250 MBd 100m Cat 5 Cable	0Dh *1	00h	00h	00h	00h	64h	0000h
<b>1000BASE-SX</b>	1250 MBd 550m MM 850nm	0Dh *1	00h	00h	37h *2	1Bh *2	00h	0352h
<b>1000BASE-LX</b>	1250 MBd 5km SM 1310nm	0Dh *1	05h	32h	37h	37h	00h	051Eh
<b>1000BASE-LX10</b>	1250 MBd 10km SM 1310nm	0Dh *1	0Ah	64h	00h	00h	00h	051Eh
<b>1000BASE-BX10-D</b>	1250 MBd 10km SM 1490nm downstream TX	0Dh *1	0Ah	64h	00h	00h	00h	05D2h
<b>1000BASE-BX10-U</b>	1250 MBd 10km SM 1310nm upstream TX	0Dh *1	0Ah	64h	00h	00h	00h	051Eh
<b>OC3/STM1 SR-1</b>	155 MBd 2km SM 1310nm	02h	02h	14h	00h	00h	00h	051Eh
<b>OC12/STM4 LR-1</b>	622 MBd 40km SM 1310nm	06h *3	28h	FFh	00h	00h	00h	051Eh
<b>OC48/STM16 LR-2</b>	2488 MBd 80km SM 1550nm	19h *3	50h	FFh	00h	00h	00h	060Eh
<b>G959.1 P1I1-2D1</b>	10709 MBd 2 km SM 1310 nm	6Bh	02h *5	14h	00h	00h	00h	051Eh
<b>G959.1 P1S1-2D2</b>	10709 MBd 40 km SM 1550 nm	6Bh	28h *5	FFh	00h	00h	00h	060Eh
<b>G959.1 P1L1-2D2</b>	10709 MBd 80 km SM 1550 nm	6Bh	50h *5	FFh	00h	00h	00h	060Eh

2 \*1) By convention 1.25 Gb/s should be rounded up to 0Dh (13 in units of 100 MBd) for Ethernet 1000BASE-X.

3 \*2) Link distances for 1000BASE-SX variants vary between high and low bandwidth cable types per 802.3

- 1 Clause 38. The values shown are 270m [275m per 802.3] for 62.5um/200 MHz\*km cable and 550m for  
 2 50um/500 MHz\*km cable.
- 3 \*3) For transceivers supporting multiple data rates (and hence multiple distances with a single fiber type) the  
 4 highest data rate and the distances achievable at that data rate are to be identified in these fields.
- 5 \*4) In this example, the transceiver supports 400-M5-SN-I, 200-M5-SN-I, 100-M5-SN-I, 400-M6-SN-I, 200-M6-  
 6 SN-I and 100-M6-SN-I.
- 7 \*5) These target distances are for classification and not for specification.

8 **TABLE 4-5 COPPER CABLE IDENTIFICATION/PERFORMANCE EXAMPLES**

Cable Type	Address A0h		
	Link Length and Transmitter Technology		Laser wavelength and Cable Specification Compliance
	Byte 7	Byte 8	Bytes 60 and 61
Passive Cable compliant to SFF-8431 Appendix E.	00h	04h	0100h
Active cable compliant to SFF-8431 Appendix E	00h	08h	0100h
Active cable compliant to SFF-8431 limiting	00h	08h	0400h
Active cable compliant to both SFF-8431 limiting and FC-PI-4 limiting	00h	08h	0C00h

9 **5 Identifiers and Codes**

10 **5.1 Physical Device Identifier Values [Address A0h, Byte 0]**

11 The identifier value specifies the physical device described by two-wire interface information. This value shall  
 12 be included in the two-wire interface data.

13 **TABLE 5-1 PHYSICAL DEVICE IDENTIFIER VALUES**

A0h	Value	Description
0	00h	Unknown or unspecified
	01h	GBIC
	02h	Module soldered to motherboard (ex: SFF)
	03h	SFP or SFP+
	04-7Fh	Not used by this specification. These values are maintained in the Transceiver Management section of SFF-8024.
	80-FFh	Vendor specific

14

15 **5.2 Physical Device Extended Identifier Values [Address A0h, Byte 1]**

16 The extended identifier value provides additional information about the transceiver. The field should be set to  
 17 04h for all SFP modules indicating two-wire interface ID module definition. In many cases, a GBIC elects to  
 18 use MOD\_DEF 4 to make additional information about the GBIC available, even though the GBIC is actually  
 19 compliant with one of the six other MOD\_DEF values defined for GBICs. The extended identifier allows the  
 20 GBIC to explicitly specify such compliance without requiring the MOD\_DEF value to be inferred from the  
 21 other information provided.

22

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15

**TABLE 5-2 PHYSICAL DEVICE EXTENDED IDENTIFIER VALUES**

A0h	Value	Description of connector
1	00h	GBIC definition is not specified or the GBIC definition is not compliant with a defined MOD_DEF. See product specification for details.
	01h	GBIC is compliant with MOD_DEF 1
	02h	GBIC is compliant with MOD_DEF 2
	03h	GBIC is compliant with MOD_DEF 3
	04h	GBIC/SFP function is defined by two-wire interface ID only
	05h	GBIC is compliant with MOD_DEF 5
	06h	GBIC is compliant with MOD_DEF 6
	07h	GBIC is compliant with MOD_DEF 7
	08-FFh	Unallocated

5.3 **Connector Values [Address A0h, Byte 2]**

The connector value indicates the external optical or electrical cable connector provided as the media interface. This value shall be included in the two-wire interface data. These values are maintained in the Transceiver Management section of SFF-8024.

5.4 **Transceiver Compliance Codes [Address A0h, Bytes 3-10 and 36]**

The following bit significant indicators in bytes 3-10 and code in byte 36 define the electronic or optical interfaces that are supported by the transceiver. At least one bit shall be set in this field. For Fibre Channel transceivers, the Fibre Channel speed, transmission media, transmitter technology, and distance capability shall all be indicated. SONET compliance codes are completed by including the contents of Table 5-4. Ethernet, ESCON and InfiniBand codes have been included to broaden the available applications of SFP transceivers.

1

TABLE 5-3 TRANSCEIVER COMPLIANCE CODES

A0h	Bit *1	Description	A0h	Bit *1	Description
<b>Extended Compliance Codes</b>					
36	7-0	See SFF-8024 Table 4-4			
<b>10G Ethernet Compliance Codes</b>			<b>Fibre Channel Link Length</b>		
3	7	10G Base-ER	7	7	very long distance (V)
3	6	10G Base-LRM	7	6	short distance (S)
3	5	10G Base-LR	7	5	intermediate distance (I)
3	4	10G Base-SR	7	4	long distance (L)
			7	3	medium distance (M)
<b>Infiniband Compliance Codes</b>			<b>Fibre Channel Technology</b>		
3	3	1X SX	7	2	Shortwave laser, linear Rx (SA) *7
3	2	1X LX	7	1	Longwave laser (LC) *6
3	1	1X Copper Active	7	0	Electrical inter-enclosure (EL)
3	0	1X Copper Passive	8	7	Electrical intra-enclosure (EL)
<b>ESCON Compliance Codes</b>			8	6	Shortwave laser w/o OFC (SN) *7
4	7	ESCON MMF, 1310nm LED	8	5	Shortwave laser with OFC (SL) *4
4	6	ESCON SMF, 1310nm Laser	8	4	Longwave laser (LL) *5
<b>SONET Compliance Codes</b>			<b>SFP+ Cable Technology</b>		
4	5	OC-192, short reach *2	8	3	Active Cable *8
4	4	SONET reach specifier bit 1	8	2	Passive Cable *8
4	3	SONET reach specifier bit 2	Unallocated		
4	2	OC-48, long reach*2	8	1	Unallocated
4	1	OC-48, intermediate reach *2	8	0	Unallocated
4	0	OC-48, short reach *2	<b>Fibre Channel Transmission Media</b>		
5	7	Unallocated	9	7	Twin Axial Pair (TW)
5	6	OC-12, single mode, long reach *2	9	6	Twisted Pair (TP)
5	5	OC-12, single mode, inter. reach *2	9	5	Miniature Coax (MI)
5	4	OC-12, short reach *2	9	4	Video Coax (TV)
5	3	Unallocated	9	3	Multimode, 62.5um (M6)
5	2	OC-3, single mode, long reach *2	9	2	Multimode, 50um (M5, M5E)
5	1	OC-3, single mode, inter. reach *2	9	1	Unallocated
5	0	OC-3, short reach *2	9	0	Single Mode (SM)
<b>Ethernet Compliance Codes</b>			<b>Fibre Channel Speed</b>		
6	7	BASE-PX *3	10	7	1200 MBytes/sec
6	6	BASE-BX10 *3	10	6	800 MBytes/sec
6	5	100BASE-FX	10	5	1600 MBytes/sec
6	4	100BASE-LX/LX10	10	4	400 MBytes/sec
6	3	1000BASE-T	10	3	3200 MBytes/sec
6	2	1000BASE-CX	10	2	200 MBytes/sec
6	1	1000BASE-LX *3	10	1	See byte 36 "extended compliance code"
6	0	1000BASE-SX	10	0	100 MBytes/sec

2 \*1 Bit 7 is the high order bit and is transmitted first in each byte.

3 \*2 SONET compliance codes require reach specifier bits 3 and 4 in Table 5-4 to completely specify  
4 transceiver capabilities.

5 \*3 Ethernet LX, PX and BX compliance codes require the use of the Bit Rate, Nominal value (byte 12), link  
6 length values for single mode and two types of multimode fiber (Bytes 14-17) and wavelength value for the  
7 laser (Bytes 60 & 61) as specified in Table 4-1 to completely specify transceiver capabilities. See Table 4-3  
8 and Table 5-6 for examples of setting values for these parameters.



- 1 \*4 Note: Open Fiber Control (OFC) is a legacy eye safety electrical interlock system implemented on Gigabit  
 2 Link Module (GLM) type transceiver devices and is not considered relevant to SFP transceivers.  
 3 \*5 Laser type "LL" (long length) is usually associated with 1550nm, narrow spectral width lasers capable of  
 4 very long link lengths.  
 5 \*6 Laser type "LC" (low cost) is usually associated with 1310nm lasers capable of medium to long link  
 6 lengths.  
 7 \*7 Classes SN and SA are mutually exclusive. Both are without OFC. SN has a limiting Rx output, SA has a  
 8 linear Rx output, per FC-PI-4.  
 9 \*8 Refer to bytes 60 and 61 for definitions of the application copper cable standard specification.  
 10

## 11 5.5 SONET Compliance Code Specifiers [Address A0h, Bytes 3-10]

12 The SONET compliance code bits allow the host to determine with which specifications a SONET transceiver  
 13 complies. For each bit rate defined in Table 5-3 (OC-3, OC-12, OC-48), SONET specifies short reach (SR),  
 14 intermediate reach (IR), and long reach (LR) requirements. For each of the three bit rates, a single short  
 15 reach (SR) specification is defined. Two variations of intermediate reach (IR-1, IR-2) and three variations of  
 16 long reach (LR-1, LR-2, and LR-3) are also defined for each bit rate. Byte 4, bits 0-2, and byte 5, bits 0-7  
 17 allow the user to determine which of the three reaches has been implemented - short, intermediate, or long.  
 18 Two additional 'specifier' bits (byte 4, bits 3-4) are necessary to discriminate between different intermediate or  
 19 long reach variations.

20 **TABLE 5-4 SONET COMPLIANCE CODE SPECIFIERS**

Speed	Reach	Specifier bit 1 (Byte 4 bit 4)	Specifier bit 2 (Byte 4 bit 3)	Description
OC 3/OC 12/OC 48/OC 192	Short	0	0	SONET SR compliant *1
OC 3/OC 12/OC 48/OC 192	Short	1	0	SONET SR-1 compliant *2
OC 3/OC 12/OC 48	Intermediate	1	0	SONET IR-1 compliant
OC 3/OC 12/OC 48	Intermediate	0	1	SONET IR-2 compliant
OC 3/OC 12/OC 48	Long	1	0	SONET LR-1 compliant
OC 3/OC 12/OC 48	Long	0	1	SONET LR-2 compliant
OC 3/OC 12/OC 48	Long	1	1	SONET LR-3 compliant
*1 OC 3/OC 12 SR is multimode based short reach				
*2 OC 3/OC 12 SR-1 is single-mode based short reach				

21

22

1

TABLE 5-5 TRANSCEIVER IDENTIFICATION EXAMPLES

Transceiver Type	Transceiver Description	Address A0h Transceiver Code Fields							
		Byte 3	Byte 4	Byte 5	Byte 6	Byte 7	Byte 8	Byte 9	Byte 10
<b>100-M5-SN-I and 100-M6-SN-I</b>	1062.5 MBd MM 850nm 500m/50um, 300m/62.5um	00h	00h	00h	00h	20h	40h	0Ch	01h
<b>200-SM-LC-L and 100-SM-LC-L</b>	2125 MBd 10km SM 1310nm	00h	00h	00h	00h	12h	00h	01h	05h
<b>400-M5-SN-I and 400-M6-SN-I *1</b>	4/2/1 GBd MM 850nm 150m/50um, 70m/62.5um	00h	00h	00h	00h	20h	40h	0Ch	15h
<b>800-M5-SN-I and 800-M6-SN-I *1</b>	8/4/2 GBd MM 850nm 50um & 62.5um	00h	00h	00h	00h	20h	40h	0Ch	54h
<b>400-SM-LC-M *1</b>	4250 MBd SM 1310nm 4km "medium" length	00h	00h	00h	00h	0Ah	00h	01h	15h
<b>400-SM-LC-L *1</b>	4250 MBd SM 1310nm 10km "long" length	00h	00h	00h	00h	12h	00h	01h	15h
<b>200-SM-LL-V and 100-SM-LL-V</b>	2125 MBd 50km SM 1550nm	00h	00h	00h	00h	80h	10h	01h	05h
<b>1000BASE-T</b>	1250 MBd 100m Cat 5 Cable	00h	00h	00h	08h	00h	00h	00h	00h
<b>1000BASE-SX</b>	1250 MBd 550m MM 850nm	00h	00h	00h	01h	00h	00h	00h	00h
<b>1000BASE-LX</b>	1250 MBd 5km SM 1310nm	00h	00h	00h	02h *2	00h	00h	00h	00h
<b>1000BASE-LX10</b>	1250 MBd 10km SM 1310nm	00h	00h	00h	02h *2	00h	00h	00h	00h
<b>10GBASE-SR</b>	10.3125 GBd 300m OM3 MM 850nm	10h	00h	00h	00h	00h	00h	00h	00h
<b>10GBASE-LR</b>	10.3125 GBd 10km SM 1310nm	20h	00h	00h	00h	00h	00h	00h	00h
<b>OC3/STM1 SR-1</b>	155 MBd 2km SM 1310nm	00h	00h	01h	00h	00h	00h	00h	00h
<b>OC12/STM4 LR-1</b>	622 MBd 40km SM 1310nm	00h	10h	40h	00h	00h	00h	00h	00h
<b>OC48/STM16 LR-2</b>	2488 MBd 80km SM 1550nm	00h	0Ch	00h	00h	00h	00h	00h	00h
	10GE Passive copper cable with embedded SFP ends *3 *4	00h	00h	00h	00h	00h	04h	00h	00h
	10GE Active cable with embedded SFP ends *3 *4	00h	00h	00h	00h	00h	08h	00h	00h
	8/4/2G Passive copper cable with embedded SFP ends <sup>3</sup>	00h	00h	00h	00h	00h	04h	00h	54h
	8/4/2G Active cable with embedded SFP ends <sup>3</sup>	00h	00h	00h	00h	00h	08h	00h	54h

2 \*1 The assumption for this example is the transceiver is "4-2-1" compatible, meaning operational at 4.25  
3 Gb/s, 2.125 Gb/s & 1.0625 Gb/s.

4 \*2 To distinguish between 1000BASE-LX and 1000BASE-LX10, A0h Bytes 12 to 18 must be used ... see  
5 Table 4-1 and Table 4-2 for more information.

6 \*3 See A0h Bytes 60 and 61 for compliance of these media to industry electrical specifications.

7 \*4 For Ethernet and Sonet applications, data rate capability of these links will be identified in A0h Byte 12

1 [nominal bit rate identifier]. This is due to no formal IEEE designation for passive and active cable  
 2 interconnects, and lack of corresponding identifiers in Table 5-3.  
 3

#### 4 5.6 Encoding [Address A0h, Byte 11]

5 The encoding value indicates the serial encoding mechanism that is the nominal design target of the  
 6 particular transceiver. The value shall be contained in the two-wire interface data. These values are  
 7 maintained in the Transceiver Management section of SFF-8024.

#### 8 5.7 BR, nominal [Address A0h, Byte 12]

9 The nominal bit (signaling) rate (BR, nominal) is specified in units of 100 MBd, rounded off to the nearest 100  
 10 MBd. The bit rate includes those bits necessary to encode and delimit the signal as well as those bits  
 11 carrying data information. A value of FFh indicates the bit rate is greater than 25.0Gb/s and addresses 66  
 12 and 67 are used to determine bit rate. A value of 0 indicates that the bit rate is not specified and must be  
 13 determined from the transceiver technology. The actual information transfer rate will depend on the encoding  
 14 of the data, as defined by the encoding value.

#### 15 5.8 Rate Identifier [Address A0h, Byte 13]

16 The rate identifier byte refers to several (optional) industry standard definitions of Rate\_Select or  
 17 Application\_Select control behaviors, intended to manage transceiver optimization for multiple operating  
 18 rates.

19 **TABLE 5-6 RATE IDENTIFIER**

A0h	Value	Description
13	00h	Unspecified
	01h	SFF-8079 (4/2/1G Rate_Select & AS0/AS1)
	02h	SFF-8431 (8/4/2G Rx Rate_Select only)
	03h	Unspecified *
	04h	SFF-8431 (8/4/2G Tx Rate_Select only)
	05h	Unspecified *
	06h	SFF-8431 (8/4/2G Independent Rx & Tx Rate_select)
	07h	Unspecified *
	08h	FC-PI-5 (16/8/4G Rx Rate_select only) High=16G only, Low=8G/4G
	09h	Unspecified *
	0Ah	FC-PI-5 (16/8/4G Independent Rx, Tx Rate_select) High=16G only, Low=8G/4G
	0Bh	Unspecified *
	0Ch	FC-PI-6 (32/16/8G Independent Rx, Tx Rate_Select) High=32G only, Low = 16G/8G
	0Dh	Unspecified *
	0Eh	10/8G Rx and Tx Rate_Select controlling the operation or locking modes of the internal signal conditioner, retimer or CDR, according to the logic table defined in Table 10-2, High Bit Rate (10G) =9.95-11.3 Gb/s; Low Bit Rate (8G) = 8.5 Gb/s. In this mode, the default value of bit 110.3 (Soft Rate Select RS(0), Table 9-11) and of bit 118.3 (Soft Rate Select RS(1), Table 10-1) is 1.
	0Fh	Unspecified *
	10h	FC-PI-7 (64/32/16G Independent Rx, Tx Rate Select) High = 32GFC and 64GFC. Low = 16GFC.
	11h	Unspecified *
	12h -FFh	Unallocated

\* To support legacy, the LSB is reserved for Unspecified or INF-8074 (value = 0) or 4/2/1G selection per SFF-8079 (value = 1). Other rate selection functionalities are not allowed to depend on the LSB.

## 1 **6 Link Length**

### 2 **6.1 Length (single mode)-km [Address A0h, Byte 14]**

3 Addition to EEPROM data from original GBIC definition. This value specifies the link length that is supported  
4 by the transceiver while operating in compliance with the applicable standards using single mode fiber. The  
5 value is in units of kilometers. A value of 255 means that the transceiver supports a link length greater than  
6 254 km. A value of zero means that the transceiver does not support single mode fiber or that the length  
7 information must be determined from the transceiver technology.

### 8 **6.2 Length (single mode)-(100's)m [Address A0h, Byte 15]**

9 This value specifies the link length that is supported by the transceiver while operating in compliance with the  
10 applicable standards using single mode fiber. The value is in units of 100 meters. A value of 255 means that  
11 the transceiver supports a link length greater than 25.4 km. A value of zero means that the transceiver does  
12 not support single mode fiber or that the length information must be determined from the transceiver  
13 technology.

### 14 **6.3 Length (50um, OM2) [Address A0h, Byte 16]**

15 This value specifies link length that is supported by the transceiver while operating in compliance with  
16 applicable standards using 50 micron multimode OM2 [500MHz\*km at 850nm, ] fiber. The value is in units of  
17 10 meters. A value of 255 means that the transceiver supports a link length greater than 2.54 km. A value of  
18 zero means that the transceiver does not support 50 micron multimode fiber or that the length information  
19 must be determined from the transceiver technology.

### 20 **6.4 Length (62.5um, OM1) [Address A0h, Byte 17]**

21 This value specifies link length that is supported by the transceiver while operating in compliance with  
22 applicable standards using 62.5 micron multimode OM1 [200 MHz\*km at 850nm, 500 MHz\*km at 1310nm]  
23 fiber. The value is in units of 10 meters. A value of 255 means that the transceiver supports a link length  
24 greater than 2.54 km. A value of zero means that the transceiver does not support 62.5 micron multimode  
25 fiber or that the length information must determined from the transceiver technology. It is common for a  
26 multimode transceiver to support OM1, OM2 and OM3 fiber.

### 27 **6.5 Length (50um, OM4) and Length (Active Cable or Copper) [Address A0h, Byte 18]**

28 For optical links, this value specifies link length that is supported by the transceiver while operating in  
29 compliance with applicable standards using 50 micron multimode OM4 [4700 MHz\*km] fiber. The value is in  
30 units of 10 meters. A value of 255 means that the transceiver supports a link length greater than 2.54 km. A  
31 value of zero means that the transceiver does not support 50 micron multimode fiber or that the length  
32 information must be determined from the transceiver codes specified in Table 5-3.

33 For copper links, this value specifies minimum link length supported by the transceiver while operating in  
34 compliance with applicable standards using copper cable. For active cable, this value represents actual  
35 length. The value is in units of 1 meter. A value of 255 means the transceiver supports a link length greater  
36 than 254 meters. A value of zero means the transceiver does not support copper or active cables or the  
37 length information must be determined from transceiver technology. Further information about cable design,  
38 equalization, and connectors is usually required to guarantee meeting a particular length requirement.

### 39 **6.6 Length (50um, OM3) [Address A0h, Byte 19]**

40 This value specifies link length that is supported by the transceiver while operating in compliance with  
41 applicable standards using 50 micron multimode OM3 [2000 MHz\*km] fiber. The value is in units of 10  
42 meters. A value of 255 means that the transceiver supports a link length greater than 2.54 km. A value of  
43 zero means that the transceiver does not support 50 micron multimode fiber or that the length information  
44 must be determined from the transceiver technology.

## 1 7 Vendor Fields

### 2 7.1 Vendor name [Address A0h, Bytes 20-35]

3 The vendor name is a 16 character field that contains ASCII characters, left-aligned and padded on the right  
4 with ASCII spaces (20h). The vendor name shall be the full name of the corporation, a commonly accepted  
5 abbreviation of the name of the corporation, the SCSI company code for the corporation, or the stock  
6 exchange code for the corporation. At least one of the vendor name or the vendor OUI fields shall contain  
7 valid data.

### 8 7.2 Vendor OUI [Address A0h, Bytes 37-39]

9 The vendor organizationally unique identifier field (vendor OUI) is a 3-byte field that contains the IEEE  
10 Company Identifier for the vendor. A value of all zero in the 3-byte field indicates that the Vendor OUI is  
11 unspecified.

### 12 7.3 Vendor PN [Address A0h, Bytes 40-55]

13 The vendor part number (vendor PN) is a 16-byte field that contains ASCII characters, left-aligned and padded  
14 on the right with ASCII spaces (20h), defining the vendor part number or product name. A value of all zero in  
15 the 16-byte field indicates that the vendor PN is unspecified.

### 16 7.4 Vendor Rev [Address A0h, Bytes 56-59]

17 The vendor revision number (vendor rev) is a 4-byte field that contains ASCII characters, left-aligned and  
18 padded on the right with ASCII spaces (20h), defining the Vendor's product revision number. A value of all  
19 zero in the 4-byte field indicates that the vendor revision is unspecified.

## 20 8 Link Characteristics

### 21 8.1 Optical and Cable Variants Specification Compliance [Address A0h, Bytes 60-61]

22 For optical variants, as defined by having zero's in A0h Byte 8 bits 2 and 3, Bytes 60 and 61 denote nominal  
23 transmitter output wavelength at room temperature. 16 bit value with byte 60 as high order byte and byte 61  
24 as low order byte. The laser wavelength is equal to the 16 bit integer value in nm. This field allows the user to  
25 read the laser wavelength directly, so it is not necessary to infer it from the Transceiver Codes A0h Bytes 3  
26 to 10 (see Table 5-3). This also allows specification of wavelengths not covered in the Transceiver Codes,  
27 such as those used in coarse WDM systems.

28 For passive and active cable variants, a value of 00h for both A0h Byte 60 and Byte 61 denotes laser  
29 wavelength or cable specification compliance is unspecified.

30 **TABLE 8-1 PASSIVE CABLE SPECIFICATION COMPLIANCE (A0H BYTE 8 BIT 2 SET)**

A0h	Bit	Description	A0h	Bit	Description
60	7	Unallocated	61	7	Unallocated
60	6	Unallocated	61	6	Unallocated
60	5	Reserved for SFF-8461	61	5	Unallocated
60	4	Reserved for SFF-8461	61	4	Unallocated
60	3	Reserved for SFF-8461	61	3	Unallocated
60	2	Reserved for SFF-8461	61	2	Unallocated
60	1	Compliant to FC-PI-4 Appendix H	61	1	Unallocated
60	0	Compliant to SFF-8431 Appendix E	61	0	Unallocated

31

32

1

**TABLE 8-2 ACTIVE CABLE SPECIFICATION COMPLIANCE (A0H BYTE 8 BIT 3 SET)**

A0h	Bit	Description	A0h	Bit	Description
60	7	Unallocated	61	7	Unallocated
60	6	Unallocated	61	6	Unallocated
60	5	Unallocated	61	5	Unallocated
60	4	Unallocated	61	4	Unallocated
60	3	Compliant to FC-PI-4 Limiting	61	3	Unallocated
60	2	Compliant to SFF-8431 Limiting	61	2	Unallocated
60	1	Compliant to FC-PI-4 Appendix H	61	1	Unallocated
60	0	Compliant to SFF-8431 Appendix E	61	0	Unallocated

2 **8.2 CC\_BASE [Address A0h, Byte 63]**

3 The check code is a one byte code that can be used to verify that the first 64 bytes of two-wire interface  
4 information in the SFP is valid. The check code shall be the low order 8 bits of the sum of the contents of all  
5 the bytes from byte 0 to byte 62, inclusive.

6

1 **8.3 Option Values [Address A0h, Bytes 64-65]**

2 The bits in the option field shall specify the options implemented in the transceiver.

3 **TABLE 8-3 OPTION VALUES**

A0h	Bit	Description
64	7-6	Unallocated
	5	High Power Level Declaration (see SFF-8431 Addendum) Value of zero identifies standard Power Levels 1 and 2 as indicated by bit 1. Value of one identifies Power Level 3 requirement.
	4	Paging implemented indicator. A value of 1 indicates that paging is implemented and byte 127d of device address A2h is used for page selection.
	3	Retimer or CDR indicator. A value of 1 indicates that the transceiver has an internal retimer or Clock and Data Recovery (CDR) circuit.
	2	Cooled Transceiver Declaration (see SFF-8431). Value of zero identifies a conventional uncooled (or unspecified) laser implementation. Value of one identifies a cooled laser transmitter implementation.
	1	Power Level Declaration (see SFF-8431). Value of zero identifies Power Level 1 (or unspecified) requirements. Value of one identifies Power Level 2 requirement. See Table 8-7 and Table 10-1 for control, status, timing. See Bit 5 for Power Level 3 declaration.
	0	Linear Receiver Output Implemented (see SFF-8431). Value of zero identifies a conventional limiting (or unspecified) receiver output. Value of one identifies a linear receiver output.
	65	7
6		Tunable transmitter technology. A value of 1 indicates that the transmitter wavelength/frequency is tunable in accordance with SFF-8690.
5		RATE_SELECT functionality is implemented  NOTE: Lack of implementation does not indicate lack of simultaneous compliance with multiple standard rates. Compliance with particular standards should be determined from Transceiver Code Section (Table 5-3). Refer to Table 5-6 for Rate_Select functionality type identifiers.
4		TX_DISABLE is implemented and disables the high speed serial output.
3		TX_FAULT signal implemented. (See SFP MSA)
2		Loss of Signal implemented, signal inverted from standard definition in SFP MSA (often called "Signal Detect").  NOTE: This is not standard SFP/GBIC behavior and should be avoided, since non-interoperable behavior results.
1		Loss of Signal implemented, signal as defined in SFP MSA (often called "Rx_LOS").
0		Unallocated

4 **8.4 BR, max [Address A0h, Byte 66]**

5 If address 12 is not set to FFh, the upper bit rate limit at which the transceiver will still meet its specifications  
6 (BR, max) is specified in units of 1% above the nominal bit rate. If address 12 is set to FFh, the nominal bit  
7 (signaling) rate (BR, nominal) is specified in units of 250 MBd, rounded off to the nearest 250 MBd. A value of  
8 00h indicates that this field is not specified.

9

## 1 8.5 BR, min [Address A0h, Byte 67]

2 If address 12 is not set to FFh, the lower bit rate limit at which the transceiver will still meet its specifications  
3 (BR, min) is specified in units of 1% below the nominal bit rate. If address 12 is set to FFh, the limit range of  
4 bit rates specified in units of +/- 1% around the nominal signaling rate. A value of zero indicates that this field  
5 is not specified.

## 6 8.6 Vendor SN [Address A0h, Bytes 68-83]

7 The vendor serial number (vendor SN) is a 16 character field that contains ASCII characters, left-aligned and  
8 padded on the right with ASCII spaces (20h), defining the Vendor's serial number for the transceiver. A value  
9 of all zero in the 16-byte field indicates that the vendor SN is unspecified.

## 10 8.7 Date Code [Address A0h, Bytes 84-91]

11 The date code is an 8-byte field that contains the Vendor's date code in ASCII characters. The date code is  
12 mandatory.

13 **TABLE 8-4 DATE CODE**

A0h	Description
84-85	ASCII code, two low order digits of year. (00 = 2000).
86-87	ASCII code, digits of month (01 = Jan through 12 = Dec)
88-89	ASCII code, day of month (01-31)
90-91	ASCII code, vendor specific lot code, may be blank

## 14 8.8 Diagnostic Monitoring Type [Address A0h, Byte 92]

15 "Diagnostic Monitoring Type" is a 1 byte field with 8 single bit indicators describing how diagnostic monitoring  
16 is implemented in the particular transceiver.

17 Note that if bit 6, address 92 is set indicating that digital diagnostic monitoring has been implemented,  
18 received power monitoring, transmitted power monitoring, bias current monitoring, supply voltage monitoring  
19 and temperature monitoring must all be implemented. Additionally, alarm and warning thresholds must be  
20 written as specified in this document at locations 00 to 55 on 2 wire serial address 1010001X (A2h) (see  
21 Table 8-5).

22 Two calibration options are possible if bit 6 has been set indicating that digital diagnostic monitoring has  
23 been implemented. If bit 5, "Internally calibrated", is set, the transceiver directly reports calibrated values in  
24 units of current, power etc. If bit 4, "Externally calibrated", is set, the reported values are A/D counts which  
25 must be converted to real world units using calibration values read using 2 wire serial address 1010001X  
26 (A2h) from bytes 56 to 95. See "Diagnostics" section for details.

27 Bit 3 indicates whether the received power measurement represents average input optical power or OMA. If  
28 the bit is set, average power is monitored. If it is not, OMA is monitored.

## 29 8.9 Addressing Modes

30 Bit 2 indicates whether or not it is necessary for the host to perform an address change sequence before  
31 accessing information at 2-wire serial address A2h. If this bit is not set, the host may simply read from either  
32 address, A0h or A2h, by using that value in the address byte during the 2-wire communication sequence. If  
33 the bit is set, the following sequence must be executed prior to accessing information at address A2h. Once  
34 A2h has been accessed, it will be necessary to execute the address change sequence again prior to reading  
35 from A0h. The address change sequence is defined as the following steps on the 2 wire serial interface:

36



1

- 1) Host controller performs a Start condition, followed by a slave address of 0b00000000.  
Note that the R/W bit of this address indicates transfer from host to device ('0'b).
- 2) Device responds with Ack
- 3) Host controller transfers 0b00000100 (04h) as the next 8 bits of data  
This value indicates that the device is to change its address
- 4) Device responds with Ack
- 5) Host controller transfers one of the following values as the next 8 bits of data:  
0bXXXXXX00 - specifies Two-wire interface ID memory page  
0bXXXXXX10 - specifies Digital Diagnostic memory page
- 6) Device responds with Ack
- 7) Host controller performs a Stop condition
- 8) Device changes address that it responds to, based on the Step 5 byte value above:  
0bXXXXXX00 - address becomes 0b1010000X (A0h)  
0bXXXXXX10 - address becomes 0b1010001X (A2h)

2

3

**TABLE 8-5 DIAGNOSTIC MONITORING TYPE**

A0h	Bit	Description
92	7	Reserved for legacy diagnostic implementations. Must be '0' for compliance with this document.
	6	Digital diagnostic monitoring implemented (described in this document). Must be '1' for compliance with this document.
	5	Internally calibrated
	4	Externally calibrated
	3	Received power measurement type 0 = OMA, 1 = average power
	2	Address change required see section above, "addressing modes"
	1-0	Unallocated

4

### 5 8.10 Enhanced Options [Address A0h, Byte 93]

6 The Enhanced Options are a one byte field with 8 single bit indicators which describe the optional digital  
7 diagnostic features implemented in the transceiver. Since transceivers will not necessarily implement all  
8 optional features described in this document, this field allows the host system to determine which functions  
9 are available over the 2 wire serial bus. A '1' indicates that the particular function is implemented in the  
10 transceiver. Bits 3 and 6 of byte 110 (see Table 9-11) allow the user to control the Rate\_Select and  
11 TX\_Disable functions. If these functions are not implemented, the bits remain readable and writable, but the  
12 transceiver ignores them.

13 Note that "soft" functions of TX\_DISABLE, TX\_FAULT, RX\_LOS, and RATE\_SELECT do not meet timing  
14 requirements as specified in the SFP MSA section B3 "Timing Requirements of Control and Status I/O" and  
15 the GBIC Specification, revision 5.5, (SFF-8053), section 5.3.1, for their corresponding pins. The soft  
16 functions allow a host to poll or set these values over the two-wire interface bus as an alternative to  
17 monitoring/setting pin values. Timing is vendor specific, but must meet the requirements specified in the table  
18 below. Asserting either the "hard pin" or "soft bit" (or both) for TX\_DISABLE or RATE\_SELECT will result in  
19 that function being asserted.

20

TABLE 8-6 ENHANCED OPTIONS

A0h	Bit	Description
93	7	Optional Alarm/warning flags implemented for all monitored quantities (see Table 9-12)
	6	Optional soft TX_DISABLE control and monitoring implemented
	5	Optional soft TX_FAULT monitoring implemented
	4	Optional soft RX_LOS monitoring implemented
	3	Optional soft RATE_SELECT control and monitoring implemented
	2	Optional Application Select control implemented per SFF-8079
	1	Optional soft Rate Select control implemented per SFF-8431
	0	Unallocated

TABLE 8-7 I/O TIMING FOR SOFT CONTROL &amp; STATUS FUNCTIONS

Parameter	Symbol	Min	Max	Units	Conditions
TX_DISABLE assert time	t_off		100	ms	Time from TX_DISABLE bit set *1 until optical output falls below 10% of nominal
TX_DISABLE deassert time	t_on		100	ms	Time from TX_DISABLE bit cleared *1 until optical output rises above 90% of nominal
Time to initialize, including reset of TX_FAULT	t_init		300	ms	Time from power on or negation of TX_FAULT using TX_DISABLE until transmitter output is stable *2
TX_FAULT assert time	t_fault		100	ms	Time from fault to TX_FAULT bit set.
RX_LOS assert time	t_loss_on		100	ms	Time from LOS state to RX_LOS bit set
RX_LOS deassert time	t_loss_off		100	ms	Time from non-LOS state to RX_LOS bit cleared
Rate select change time	t_rate_select		100 *3	ms	Time from change of state of Rate Select bit <sup>1</sup> until receiver bandwidth is in conformance with appropriate specification
Two-wire serial interface Clock rate	f_serial_clock		100	kHz	n/a
Two-wire serial interface Diagnostic data ready time	t_data		1000	ms	From power on to data ready, bit 0 of byte 110 set
Two-wire serial interface bus hardware ready time	t_serial		300	ms	Time from power on until module is ready for data transmission over the two wire serial bus.
Optional. High Power Level assert time (per SFF-8431)	t_hpower_level		300	ms	Time from High Power Level enable bit set until module operation is stable. See Table 10-1 for control bit.

\*1 Measured from falling clock edge after stop bit of write transaction.

\*2 See SFF-8053 GBIC (Gigabit Interface Converter)

\*3 The T11.2 committee, as part of its FC-PI-2 standardization effort, has advised that a 1 ms maximum is required to be compatible with auto-negotiation algorithms documented in the FC-FS specification. For 64GFC this time is required to be 4 ms maximum.

1

2 **8.11 SFF-8472 Compliance [Address A0h, Byte 94]**

3 Byte 94 contains an unsigned integer that indicates which feature set(s) are implemented in the transceiver.

4

**TABLE 8-8 SFF-8472 COMPLIANCE**

<b>A0h</b>	<b>Value</b>	<b>Interpretation</b>
94	00h	Digital diagnostic functionality not included or undefined.
	01h	Includes functionality described in Rev 9.3 of SFF-8472.
	02h	Includes functionality described in Rev 9.5 of SFF-8472.
	03h	Includes functionality described in Rev 10.2 of SFF-8472.
	04h	Includes functionality described in Rev 10.4 of SFF-8472.
	05h	Includes functionality described in Rev 11.0 of SFF-8472.
	06h	Includes functionality described in Rev 11.3 of SFF-8472.
	07h	Includes functionality described in Rev 11.4 of SFF-8472.
	08h	Includes functionality described in Rev 12.0 of SFF-8472.
	- FFh	Unallocated

5

6 **8.12 CC\_EXT [Address A0h, Byte 95]**

7 The check code is a one byte code that can be used to verify that the first 32 bytes of extended two-wire  
 8 interface information in the SFP is valid. The check code shall be the low order 8 bits of the sum of the  
 9 contents of all the bytes from byte 64 to byte 94, inclusive.

10 **9 Diagnostics**11 **9.1 Overview [Address A2h]**

12 2 wire serial bus address 1010001X (A2h) is used to access measurements of transceiver temperature,  
 13 internally measured supply voltage, TX bias current, TX output power, received optical power, and two optional  
 14 DWDM quantities: laser temperature, and TEC current.

15 The values are interpreted differently depending upon the option bits set at address 92. If bit 5 "internally  
 16 calibrated" is set, the values are calibrated absolute measurements, which should be interpreted according to  
 17 the section "Internal Calibration" below. If bit 4 "externally calibrated" is set, the values are A/D counts, which  
 18 are converted into real units per the subsequent section titled "External Calibration". The optional DWDM  
 19 quantities are defined for internal calibration only.

20 Measured parameters are reported in 16 bit data fields, i.e., two concatenated bytes. The 16 bit data fields  
 21 allow for wide dynamic range. This is not intended to imply that a 16 bit A/D system is recommended or  
 22 required in order to achieve the accuracy goals stated below. The width of the data field should not be taken  
 23 to imply a given level of precision. It is conceivable that the accuracy goals herein can be achieved by a  
 24 system having less than 16 bits of resolution. It is recommended that any low-order data bits beyond the  
 25 system's specified accuracy be fixed at zero. Overall system accuracy and precision will be vendor  
 26 dependent.

27 To guarantee coherency of the diagnostic monitoring data, the host is required to retrieve any multi-byte fields  
 28 from the diagnostic monitoring data structure (IE: Rx Power MSB - byte 104 in A2h, Rx Power LSB - byte  
 29 105 in A2h) by the use of a single two-byte read sequence across the two-wire interface interface.

30 The transceiver is required to ensure that any multi-byte fields which are updated with diagnostic monitoring  
 31 data (e.g. Rx Power MSB - byte 104 in A2h, Rx Power LSB - byte 105 in A2h) must have this update done in  
 32 a fashion which guarantees coherency and consistency of the data. In other words, the update of a multi-byte  
 33 field by the transceiver must not occur such that a partially updated multi-byte field can be transferred to the

- 1 host. Also, the transceiver shall not update a multi-byte field within the structure during the transfer of that  
2 multi-byte field to the host, such that partially updated data would be transferred to the host.
- 3 Accuracy requirements specified below shall apply to the operating signal range specified in the relevant  
4 standard. The manufacturer's specification should be consulted for more detail on the conditions under which  
5 the accuracy requirements are met.

## 6 9.2 Internal Calibration

7 Measurements are calibrated over vendor specified operating temperature and voltage and should be  
8 interpreted as defined below. Alarm and warning threshold values should be interpreted in the same manner  
9 as real time 16 bit data.

10

- 1) Internally measured transceiver temperature. Represented as a 16 bit signed twos complement value in increments of 1/256 degrees Celsius, yielding a total range of -128C to +128C. Temperature accuracy is vendor specific but must be better than  $\pm 3$  degrees Celsius over specified operating temperature and voltage. Please see vendor specification for details on location of temperature sensor. See Table 9-1 and Table 9-2 below for examples of temperature format.
- 2) Internally measured transceiver supply voltage. Represented as a 16 bit unsigned integer with the voltage defined as the full 16 bit value (0-65535) with LSB equal to 100 uVolt, yielding a total range of 0 to +6.55 Volts. Practical considerations to be defined by transceiver manufacturer will tend to limit the actual bounds of the supply voltage measurement. Accuracy is vendor specific but must be better than  $\pm 3\%$  of the manufacturer's nominal value over specified operating temperature and voltage. Note that in some transceivers, transmitter supply voltage and receiver supply voltage are isolated. In that case, only one supply is monitored. Refer to the device specification for more detail.
- 3) Measured TX bias current in uA. Represented as a 16 bit unsigned integer with the current defined as the full 16 bit value (0-65535) with LSB equal to 2 uA, yielding a total range of 0 to 131 mA. Accuracy is vendor specific but must be better than  $\pm 10\%$  of the manufacturer's nominal value over specified operating temperature and voltage.
- 4) Measured TX output power in mW. Represented as a 16 bit unsigned integer with the power defined as the full 16 bit value (0-65535) with LSB equal to 0.1 uW, yielding a total range of 0 to 6.5535 mW (~ -40 to +8.2 dBm). Data is assumed to be based on measurement of laser monitor photodiode current. It is factory calibrated to absolute units using the most representative fiber output type. Accuracy is vendor specific but must be better than  $\pm 3$ dB over specified temperature and voltage. Data is not valid when the transmitter is disabled.
- 5) Measured RX received optical power in mW. Value can represent either average received power or OMA depending upon how bit 3 of byte 92 (A0h) is set. Represented as a 16 bit unsigned integer with the power defined as the full 16 bit value (0-65535) with LSB equal to 0.1 uW, yielding a total range of 0 to 6.5535 mW (~ -40 to +8.2 dBm). Absolute accuracy is dependent upon the exact optical wavelength. For the vendor specified wavelength, accuracy shall be better than  $\pm 3$ dB over specified temperature and voltage. This accuracy shall be maintained for input power levels up to the lesser of maximum transmitted or maximum received optical power per the appropriate standard. It shall be maintained down to the minimum transmitted power minus cable plant loss (insertion loss or passive loss) per the appropriate standard. Absolute accuracy beyond this minimum required received input optical power range is vendor specific.
- 6) Measured optional laser temperature. For DWDM applications bytes 106-107 report laser temperature, The encoding is the same as for transceiver internal temperature defined in row 1) above. The relative and absolute accuracy are vendor specific but relative laser temperature accuracy must be better than +/- 0.2 degrees Celsius. [Relative temperature accuracy refers to the accuracy of the reported temperature changes relative to the actual laser temperature changes].
- 7) Measured TEC current. For DWDM applications, bytes 108-109 report the measured TEC current. The format is signed two's complement with the LSB equal to 0.1 mA. Thus a range from -3276.8 to +3276.7 mA may be reported with a resolution of 0.1 mA. See T and T for further details. Reported TEC current is a positive number for cooling and a negative number for heating. The accuracy of the

TEC current monitor is vendor specific but must be better than +/- 15% of the maximum TEC current as stored in the TEC current high alarm threshold (bytes 48-49).

1

2 The tables below illustrate the 16 bit signed twos complement format used for temperature reporting. The  
3 most significant bit (D7) represents the sign, which is zero for positive temperatures and one for negative  
4 temperatures.

5 **TABLE 9-1 BIT WEIGHTS (DEGREES C) FOR TEMPERATURE REPORTING REGISTERS**

Most Significant Byte (byte 96)								Least Significant Byte (byte 97)							
D7	D6	D5	D4	D3	D2	D1	D0	D7	D6	D5	D4	D3	D2	D1	D0
Sign	64	32	16	8	4	2	1	1/2	1/4	1/8	1/16	1/32	1/64	1/128	1/256

6

7

**TABLE 9-2 DIGITAL TEMPERATURE FORMAT**

Temperature		Binary		Hexadecimal	
Decimal	Fraction	High Byte	Low Byte	High Byte	Low Byte
+127.996	+127 255/256	01111111	11111111	7F	FF
+125.000	+125	01111101	00000000	7D	00
+25.000	+25	00011001	00000000	19	00
+1.004	+1 1/256	00000001	00000001	01	01
+1.000	+1	00000001	00000000	01	00
+0.996	+255/256	00000000	11111111	00	FF
+0.004	+1/256	00000000	00000001	00	01
0.000	0	00000000	00000000	00	00
-0.004	-1/256	11111111	11111111	FF	FF
-1.000	-1	11111111	00000000	FF	00
-25.000	-25	11100111	00000000	E7	00
-40.000	-40	11011000	00000000	D8	00
-127.996	-127 255/256	10000000	00000001	80	01

8

9 The tables below illustrate the 16-bit twos complement format used for TEC current reporting. The most  
10 significant bit (D7) represents the sign, which is zero for positive currents (cooling) and one for negative  
11 currents (heating).

12 **TABLE 9-3 BIT WEIGHTS (MA) FOR TEC CURRENT REPORTING REGISTERS**

Most Significant Byte (byte 108)								Least Significant Byte (byte 109)							
D7	D6	D5	D4	D3	D2	D1	D0	D7	D6	D5	D4	D3	D2	D1	D0
Sign	1638.4	819.2	409.6	204.8	102.4	51.2	25.6	12.8	6.4	3.2	1.6	0.8	0.4	0.2	0.1

13

14

1 **TABLE 9-4 TEC CURRENT FORMAT**

Current	Binary		Hexadecimal	
	High Byte	Low Byte	High Byte	Low Byte
+3276.7	01111111	11111111	7F	FF
+3200.0	01111101	00000000	7D	00
+640.0	00011001	00000000	19	00
+25.7	00000001	00000001	01	01
+25.6	00000001	00000000	01	00
+25.5	00000000	11111111	00	FF
+0.1	00000000	00000001	00	01
0.0	00000000	00000000	00	00
-0.1	11111111	11111111	FF	FF
-25.6	11111111	00000000	FF	00
-640.0	11100111	00000000	E7	00
-1024.0	11011000	00000000	D8	00
-3276.7	10000000	00000001	80	01
-3276.8	10000000	00000000	80	00

2 **9.3 External Calibration**

3 Measurements are raw A/D values and must be converted to real world units using calibration constants  
 4 stored in EEPROM locations 56-95 at 2 wire serial bus address A2h. Calibration is valid over vendor specified  
 5 operating temperature and voltage. Alarm and warning threshold values should be interpreted in the same  
 6 manner as real time 16 bit data.

7 After calibration per the equations given below for each variable, the results are consistent with the accuracy  
 8 and resolution goals for internally calibrated devices.

9

- 1) Internally measured transceiver temperature. Module temperature, T, is given by the following equation:

$$T(C) = T\_slope * T\_AD (16 \text{ bit signed twos complement value}) + T\_offset$$

The result is in units of 1/256C, yielding a total range of -128C to +128C. See Table 9-6 for locations of T\_slope and T\_offset. Temperature accuracy is vendor specific but must be better than +/-3 degrees Celsius over specified operating temperature and voltage. Please see vendor specification sheet for details on location of temperature sensor. Table 9-1 and Table 9-2 give examples of the 16 bit signed twos complement temperature format.

- 0 Internally measured supply voltage. Module internal supply voltage, V, is given in microvolts by the following equation:

$$V(uV) = V\_slope * V\_AD (16 \text{ bit unsigned integer}) + V\_offset$$

The result is in units of 100uV, yielding a total range of 0-6.55V. See Table 9-6 for locations of V\_slope and V\_offset. Accuracy is vendor specific but must be better than +/-3% of the manufacturer's nominal value over specified operating temperature and voltage. Note that in some transceivers, transmitter supply voltage and receiver supply voltage are isolated. In that case, only one supply is monitored. Refer to the manufacturer's specification for more detail.

- 3) Measured transmitter laser bias current. Module laser bias current, I, is given in microamps by the following equation:

$$I (uA) = I\_slope * I\_AD (16 \text{ bit unsigned integer}) + I\_offset$$

This result is in units of 2 uA, yielding a total range of 0 to 131 mA. See Table 9-6 for locations of I\_slope and I\_offset. Accuracy is vendor specific but must be better than +/-10% of the manufacturer's nominal value over specified operating temperature and voltage.

- 4) Measured coupled TX output power. Module transmitter coupled output power, TX\_PWR, is given in uW by the following equation:

$$\text{TX\_PWR (uW)} = \text{TX\_PWR\_slope} * \text{TX\_PWR\_AD (16 bit unsigned integer)} + \text{TX\_PWR\_offset}.$$

This result is in units of 0.1uW yielding a total range of 0-6.5mW. See Table 9-6 for locations of TX\_PWR\_slope and TX\_PWR\_offset. Accuracy is vendor specific but must be better than +/-3dB over specified operating temperature and voltage. Data is assumed to be based on measurement of a laser monitor photodiode current. It is factory calibrated to absolute units using the most representative fiber output type. Data is not valid when the transmitter is disabled.

- 5) Measured received optical power. Received power, RX\_PWR, is given in uW by the following equation:

$$\begin{aligned} \text{Rx\_PWR (uW)} &= \text{Rx\_PWR(4)} * \text{Rx\_PWR\_ADe4 (16 bit unsigned integer)} + \\ &= \text{Rx\_PWR(3)} * \text{Rx\_PWR\_ADe3 (16 bit unsigned integer)} + \\ &\quad \text{Rx\_PWR(2)} * \text{Rx\_PWR\_ADe2 (16 bit unsigned integer)} + \\ &\quad \text{Rx\_PWR(1)} * \text{Rx\_PWR\_AD (16 bit unsigned integer)} + \\ &\quad \text{Rx\_PWR(0)} \end{aligned}$$

The result is in units of 0.1uW yielding a total range of 0-6.5mW. See Table 9-6 for locations of Rx\_PWR(4-0). Absolute accuracy is dependent upon the exact optical wavelength. For the vendor specified wavelength, accuracy shall be better than +/-3dB over specified temperature and voltage. This accuracy shall be maintained for input power levels up to the lesser of maximum transmitted or maximum received optical power per the appropriate standard. It shall be maintained down to the minimum transmitted power minus cable plant loss (insertion loss or passive loss) per the appropriate standard. Absolute accuracy beyond this minimum required received input optical power range is vendor specific.

1

## 2 9.4 Alarm and Warning Thresholds [Address A2h, Bytes 0-39]

3 Each A/D quantity has a corresponding high alarm, low alarm, high warning and low warning threshold. These  
4 factory preset values allow the user to determine when a particular value is outside of "normal" limits as  
5 determined by the transceiver manufacturer. It is assumed that these values will vary with different  
6 technologies and different implementations. When external calibration is used, data may be compared to  
7 alarm and warning threshold values before or after calibration by the host. Comparison can be done directly  
8 before calibration. If comparison is to be done after calibration, calibration must first be applied to both data  
9 and threshold values.

10 The values reported in the alarm and warning thresholds area (see below) may be temperature compensated  
11 or otherwise adjusted when setting warning and/or alarm flags. Any threshold compensation or adjustment is  
12 vendor specific and optional. See Vendor's data sheet for use of alarm and warning thresholds.

13

1

**TABLE 9-5 ALARM AND WARNING THRESHOLDS**

<b>A2h</b>	<b># Bytes</b>	<b>Name</b>	<b>Description</b>
00-01	2	Temp High Alarm	MSB at low address
02-03	2	Temp Low Alarm	MSB at low address
04-05	2	Temp High Warning	MSB at low address
06-07	2	Temp Low Warning	MSB at low address
08-09	2	Voltage High Alarm	MSB at low address
10-11	2	Voltage Low Alarm	MSB at low address
12-13	2	Voltage High Warning	MSB at low address
14-15	2	Voltage Low Warning	MSB at low address
16-17	2	Bias High Alarm	MSB at low address
18-19	2	Bias Low Alarm	MSB at low address
20-21	2	Bias High Warning	MSB at low address
22-23	2	Bias Low Warning	MSB at low address
24-25	2	TX Power High Alarm	MSB at low address
26-27	2	TX Power Low Alarm	MSB at low address
28-29	2	TX Power High Warning	MSB at low address
30-31	2	TX Power Low Warning	MSB at low address
32-33	2	RX Power High Alarm	MSB at low address
34-35	2	RX Power Low Alarm	MSB at low address
36-37	2	RX Power High Warning	MSB at low address
38-39	2	RX Power Low Warning	MSB at low address
40-41	2	Optional Laser Temp High Alarm	MSB at low address
42-43	2	Optional Laser Temp Low Alarm	MSB at low address
44-45	2	Optional Laser Temp High Warning	MSB at low address
46-47	2	Optional Laser Temp Low Warning	MSB at low address
48-49	2	Optional TEC Current High Alarm	MSB at low address
50-51	2	Optional TEC Current Low Alarm	MSB at low address
52-53	2	Optional TEC Current High Warning	MSB at low address
54-55	2	Optional TEC Current Low Warning	MSB at low address

2

3



## 1 9.5 Calibration Constants for External Calibration Option [Address A2h, Bytes 56-91]

2 **TABLE 9-6 CALIBRATION CONSTANTS FOR EXTERNAL CALIBRATION OPTION**

A2h	# Bytes	Name	Description
56-59	4	Rx_PWR(4)	Single precision floating point calibration data - Rx optical power. Bit 7 of byte 56 is MSB. Bit 0 of byte 59 is LSB. Rx_PWR(4) should be set to zero for "internally calibrated" devices.
60-63	4	Rx_PWR(3)	Single precision floating point calibration data - Rx optical power. Bit 7 of byte 60 is MSB. Bit 0 of byte 63 is LSB. Rx_PWR(3) should be set to zero for "internally calibrated" devices.
64-67	4	Rx_PWR(2)	Single precision floating point calibration data, Rx optical power. Bit 7 of byte 64 is MSB, bit 0 of byte 67 is LSB. Rx_PWR(2) should be set to zero for "internally calibrated" devices.
68-71	4	Rx_PWR(1)	Single precision floating point calibration data, Rx optical power. Bit 7 of byte 68 is MSB, bit 0 of byte 71 is LSB. Rx_PWR(1) should be set to 1 for "internally calibrated" devices.
72-75	4	Rx_PWR(0)	Single precision floating point calibration data, Rx optical power. Bit 7 of byte 72 is MSB, bit 0 of byte 75 is LSB. Rx_PWR(0) should be set to zero for "internally calibrated" devices.
76-77	2	Tx_I(Slope)	Fixed decimal (unsigned) calibration data, laser bias current. Bit 7 of byte 76 is MSB, bit 0 of byte 77 is LSB. Tx_I(Slope) should be set to 1 for "internally calibrated" devices.
78-79	2	Tx_I(Offset)	Fixed decimal (signed two's complement) calibration data, laser bias current. Bit 7 of byte 78 is MSB, bit 0 of byte 79 is LSB. Tx_I(Offset) should be set to zero for "internally calibrated" devices.
80-81	2	Tx_PWR(Slope)	Fixed decimal (unsigned) calibration data, transmitter coupled output power. Bit 7 of byte 80 is MSB, bit 0 of byte 81 is LSB. Tx_PWR(Slope) should be set to 1 for "internally calibrated" devices.
82-83	2	Tx_PWR(Offset)	Fixed decimal (signed two's complement) calibration data, transmitter coupled output power. Bit 7 of byte 82 is MSB, bit 0 of byte 83 is LSB. Tx_PWR(Offset) should be set to zero for "internally calibrated" devices.
84-85	2	T (Slope)	Fixed decimal (unsigned) calibration data, internal module temperature. Bit 7 of byte 84 is MSB, bit 0 of byte 85 is LSB. T(Slope) should be set to 1 for "internally calibrated" devices.
86-87	2	T (Offset)	Fixed decimal (signed two's complement) calibration data, internal module temperature. Bit 7 of byte 86 is MSB, bit 0 of byte 87 is LSB. T(Offset) should be set to zero for "internally calibrated" devices.
88-89	2	V (Slope)	Fixed decimal (unsigned) calibration data, internal module supply voltage. Bit 7 of byte 88 is MSB, bit 0 of byte 89 is LSB. V(Slope) should be set to 1 for "internally calibrated" devices.
90-91	2	V (Offset)	Fixed decimal (signed two's complement) calibration data, internal module supply voltage. Bit 7 of byte 90 is MSB. Bit 0 of byte 91 is LSB. V(Offset) should be set to zero for "internally calibrated" devices.
92-94	3	Unallocated	
95	1	Checksum	Byte 95 contains the low order 8 bits of the sum of bytes 0-94.

3

4 The slope constants at addresses 76, 80,84, and 88, are unsigned fixed-point binary numbers. The slope will  
5 therefore always be positive. The binary point is in between the upper and lower bytes, i.e., between the eight  
6 and ninth most significant bits. The most significant byte is the integer portion in the range 0 to +255. The  
7 least significant byte represents the fractional portion in the range of 0.00391 (1/256) to 0.9961 (255/256). The  
8 smallest real number that can be represented by this format is 0.00391 (1/256); the largest real number that  
9 can be represented using this format is 255.9961 (255 + 255/256). Slopes are defined, and conversion



**TABLE 9-10 EXAMPLE OF FLOATING POINT REPRESENTATION**

Byte Address	Contents	Significance
56	SEEEEEEE	Most
57	EMMMMMMM	Second Most
58	MMMMMMMM	Second Least
59	MMMMMMMM	Least
where S = sign bit; E = exponent bit; M = mantissa bit.		

Special cases of the various bit values are reserved to represent indeterminate values such as positive and negative infinity; zero; and "NaN" or not a number. NaN indicates an invalid result. As of this writing, explanations of the IEEE single precision floating point format were posted on the worldwide web at

[https://en.wikipedia.org/wiki/Single-precision\\_floating-point\\_format](https://en.wikipedia.org/wiki/Single-precision_floating-point_format)

The actual IEEE standard is available at [www.IEEE.org](http://www.IEEE.org)

#### 9.6 CC\_DMI [Address A2h, Byte 95]

This check sum is a one byte code that can be used to verify that the first 94 bytes of factory programmed "diagnostic management interface" information in the SFP is valid. The check code shall be the low order 8 bits of the sum of the contents of all the bytes from byte 0 to byte 94, inclusive.

#### 9.7 Real Time Diagnostic and Control Registers [Address A2h, Bytes 96-111]

**TABLE 9-11 A/D VALUES AND STATUS BITS**

A2h	Bit	Name	Description
<b>Converted analog values. Calibrated 16 bit data.</b>			
96	All	Temperature MSB	Internally measured module temperature.
97	All	Temperature LSB	
98	All	Vcc MSB	Internally measured supply voltage in transceiver.
99	All	Vcc LSB	
100	All	TX Bias MSB	Internally measured TX Bias Current.
101	All	TX Bias LSB	
102	All	TX Power MSB	Measured TX output power.
103	All	TX Power LSB	
104	All	RX Power MSB	Measured RX input power.
105	All	RX Power LSB	
106	All	Optional Laser Temp/Wavelength MSB	Measured laser temperature or wavelength
107	All	Optional Laser Temp/Wavelength LSB	
108	All	Optional TEC current MSB	Measured TEC current (positive is cooling)
109	All	Optional TEC current LSB	
<b>Optional Status/Control Bits</b>			
110	7	TX Disable State	Digital state of the TX Disable Input Pin. Updated within 100ms of change on pin.

A2h	Bit	Name	Description
	6	Soft TX Disable Select	Read/write bit that allows software disable of laser. Writing '1' disables laser. See Table 8-7 for enable/disable timing requirements. This bit is "OR"d with the hard TX_DISABLE pin value. Note, per SFP MSA TX_DISABLE pin is default enabled unless pulled low by hardware. If Soft TX Disable is not implemented, the transceiver ignores the value of this bit. Default power up value is zero/low.
	5	RS(1) State	Digital state of SFP input pin AS(1) per SFF-8079 or RS(1) per SFF-8431. Updated within 100ms of change on pin. See A2h Byte 118, Bit 3 for Soft RS(1) Select control information.
	4	Rate_Select State [aka. "RS(0)"]	Digital state of the SFP Rate_Select Input Pin. Updated within 100ms of change on pin. Note: This pin is also known as AS(0) in SFF-8079 and RS(0) in SFF-8431.
	3	Soft Rate_Select Select [aka. "RS(0)"]	Read/write bit that allows software rate select control. Writing '1' selects full bandwidth operation. This bit is "OR"d with the hard Rate_Select, AS(0) or RS(0) pin value. See Table 8-7 for timing requirements. Default at power up is logic zero/low, unless specifically redefined by value selected in Table 5-6. If Soft Rate Select is not implemented, the transceiver ignores the value of this bit. Note: Specific transceiver behaviors of this bit are identified in Table 5-6 and referenced documents. See Table 10-1, byte 118, bit 3 for Soft RS(1) Select.
	2	TX Fault State	Digital state of the TX Fault Output Pin. Updated within 100ms of change on pin.
	1	Rx_LOS State	Digital state of the RX_LOS Output Pin. Updated within 100ms of change on pin.
	0	Data_Ready_Bar State	Indicates transceiver has achieved power up and data is ready. Bit remains high until data is ready to be read at which time the device sets the bit low.
111	7-0	Reserved	Reserved for SFF-8079.

1

2 The data\_ready\_bar bit is high during module power up and prior to the first valid A/D reading. Once the first  
3 valid A/D reading occurs, the bit is set low until the device is powered down. The bit must be set low within 1  
4 second of power up.

#### 5 9.8 Alarm and Warning Flag Bits [Address A2h, Bytes 112-117]

6 Bytes 112-117 contain an optional set of alarm and warning flags. The flags may be latched or non-latched.  
7 Implementation is vendor specific, and the Vendor's specification sheet should be consulted for details. It is  
8 recommended that in either case, detection of an asserted flag bit should be verified by a second read of the  
9 flag at least 100ms later. For users who do not wish to set their own threshold values or read the values in  
10 locations 0-55, the flags alone can be monitored. Two flag types are defined.

11 1) Alarm flags associated with transceiver temperature, supply voltage, TX bias current, TX output power and  
12 received optical power as well as reserved locations for future flags. Alarm flags indicate conditions likely to  
13 be associated with an in-operational link and cause for immediate action.

14 2) Warning flags associated with transceiver temperature, supply voltage, TX bias current, TX output power  
15 and received optical power as well as reserved locations for future flags. Warning flags indicate conditions  
16 outside the normally guaranteed bounds but not necessarily causes of immediate link failures. Certain  
17 warning flags may also be defined by the manufacturer as end-of-life indicators (such as for higher than  
18 expected bias currents in a constant power control loop).

1

**TABLE 9-12 ALARM AND WARNING FLAG BITS**

A2h	Bit	Name	Description
<b>Reserved Optional Alarm and Warning Flag Bits (See Notes 3-6)</b>			
112	7	Temp High Alarm	Set when internal temperature exceeds high alarm level.
	6	Temp Low Alarm	Set when internal temperature is below low alarm level.
	5	Vcc High Alarm	Set when internal supply voltage exceeds high alarm level.
	4	Vcc Low Alarm	Set when internal supply voltage is below low alarm level.
	3	TX Bias High Alarm	Set when TX Bias current exceeds high alarm level.
	2	TX Bias Low Alarm	Set when TX Bias current is below low alarm level.
	1	TX Power High Alarm	Set when TX output power exceeds high alarm level.
	0	TX Power Low Alarm	Set when TX output power is below low alarm level.
113	7	RX Power High Alarm	Set when Received Power exceeds high alarm level.
	6	RX Power Low Alarm	Set when Received Power is below low alarm level.
	5	Optional Laser Temp High Alarm	Set when laser temperature or wavelength exceeds the high alarm level.
	4	Optional Laser Temp Low Alarm	Set when laser temperature or wavelength is below the low alarm level.
	3	Optional TEC current High Alarm	Set when TEC current exceeds the high alarm level.
	2	Optional TEC current Low Alarm	Set when TEC current is below the low alarm level.
	1	Reserved Alarm	
	0	Reserved Alarm	
114	7-4	Tx input equalization control RATE=HIGH	Input equalization level control
	3-0	Tx input equalization control RATE=LOW	Input equalization level control
115	7-4	RX output emphasis control RATE=HIGH	Output emphasis level control
	3-0	RX output emphasis control RATE=LOW	Output emphasis level control
116	7	Temp High Warning	Set when internal temperature exceeds high warning level.
	6	Temp Low Warning	Set when internal temperature is below low warning level.
	5	Vcc High Warning	Set when internal supply voltage exceeds high warning level.
	4	Vcc Low Warning	Set when internal supply voltage is below low warning level.
	3	TX Bias High Warning	Set when TX Bias current exceeds high warning level.
	2	TX Bias Low Warning	Set when TX Bias current is below low warning level.
	1	TX Power High Warning	Set when TX output power exceeds high warning level.
	0	TX Power Low Warning	Set when TX output power is below low warning level.
117	7	RX Power High Warning	Set when Received Power exceeds high warning level.
	6	RX Power Low Warning	Set when Received Power is below low warning level.
	5	Optional Laser Temp High Warning	Set when laser temperature or wavelength exceeds the high warning level.
	4	Optional Laser Temp Low Warning	Set when laser temperature or wavelength is below the low warning level.
	3	Optional TEC current High Warning	Set when TEC current exceeds the high warning level.

A2h	Bit	Name	Description
	2	Optional TEC current Low Warning	Set when TEC current is below the low warning level.
	1	Reserved Warning	
	0	Reserved Warning	

1

2

**TABLE 9-13 INPUT EQUALIZATION (ADDRESS A2H BYTE 114)**

Code	Transmitter Input Equalization	
	Nominal	Units
11xx	Reserved	
1011	Reserved	
1010	10	dB
1001	9	dB
1000	8	dB
0111	7	dB
0110	6	dB
0101	5	dB
0100	4	dB
0011	3	dB
0010	2	dB
0001	1	dB
0000	0	No EQ

3

4

**TABLE 9-14 OUTPUT EMPHASIS CONTROL (ADDRESS A2H BYTE 115)**

Code	Receiver Output Emphasis At nominal Output Amplitude	
	Nominal	Units
1xxx	Vendor Specific	
0111	7	dB
0110	6	dB
0101	5	dB
0100	4	dB
0011	3	dB
0010	2	dB
0001	1	dB
0000	0	No Emphasis

5

6

## 1 10 Extended Information

### 2 10.1 Extended Module Control/Status Bytes [Address A2h, Bytes 118-119]

3 Addresses 118-119 are defined for extended module control and status functions. Depending on usage, the  
4 contents may be writable by the host. See Table 8-3 for power level declaration requirement in Address 64,  
5 byte 1.

6 **TABLE 10-1 EXTENDED MODULE CONTROL/STATUS BYTES**

A2h	Bit	Name	Description
118	4-7	Reserved	
	3	Soft RS(1) Select	Read/write bit that allows software Tx rate control. Writing '1' selects full speed Tx operation. This bit is "OR'd with the hard RS(1) pin value. See Table 8-7 for timing requirements. Default at power up is logic zero/low, unless specifically redefined by value selected in Table 5-6. If Soft RS(1) is not implemented, the transceiver ignores the value of this bit. Note: Specific transceiver behaviors of this bit are identified in Table 5-6 and referenced documents. See Table 9-11, byte 110, bit 3 for Soft RS(0) Select.
	2	Reserved	
	1	Power Level Operation State	Optional. SFF-8431 Power Level (maximum power dissipation) status. Value of zero indicates Power Level 1 operation (1.0 Watt max). Value of one indicates Power Level 2 or 3 operation (1.5 or 2.0 Watt max), depending on the values in byte 64 of A0h. Refer to Table 8-3 for Power Level requirement declaration. Refer to Table 8-7 for timing.
	0	Power Level Select	Optional. SFF-8431 Power Level (maximum power dissipation) control bit. Value of zero enables Power Level 1 only (1.0 Watt max). Value of one enables Power Level 2 or 3 (1.5 or 2.0 Watt max), depending on the values in byte 64 of A0h. Refer to Table 8-3 for Power Level requirement declaration. Refer to Table 8-7 for timing. If Power Levels 2 or 3 are not implemented, the SFP ignores the value of this bit.
119	7-5	Unallocated	
	4	64GFC Mode Tx Configured	This status bit is a response to the 64GFC mode control bit. The bit indicates the module Tx logic has finished configuring itself to 64GFC mode at 28.9 GBaud.
	3	64GFC Mode Rx Configured	This status bit is a response to the 64GFC mode control bit. The bit indicates the module Rx logic has finished configuring itself to 64GFC mode at 28.9 GBaud.
	2	64GFC Mode	Writing a 1 to this bit selects 64GFC speed of operation at 28.9 GBaud. When this bit is set to 1, the rate select settings on the pins or in the registers shall be ignored. Default at power up for this bit is logic zero.

A2h	Bit	Name	Description
	1	Optional Tx CDR unlocked	Used when bit 64.3 (A0h) is set to 1. If the Tx side CDR is enabled, a value of 0 indicates that the CDR is locked, whereas a value of 1 indicates loss of lock of the CDR. If the CDR is in bypass mode this bit is set to 0. In 64GFC mode, if bit 4 of this byte is set to 1, a value of 0 indicates that the equalizer has finished adaptation and the CDR is locked to the PAM-4 signal.
	0	Optional Rx CDR unlocked	Used when bit 64.3 (A0h) is set to 1. If the Rx side CDR is enabled, a value of 0 indicates that the CDR is locked, whereas a value of 1 indicates loss of lock of the CDR. If the CDR is in bypass mode this bit is set to 0. In 64GFC mode, if bit 3 of this byte is set to 1, a value of 0 indicates that the equalizer has finished adaptation and the CDR is locked to the PAM-4 signal.

1

2 If the content of byte 13d of A0h is set 0Eh and bit 64.3 of page A0h is set to 1, bits 110.3 and bits 118.3  
3 control the locking modes of the internal retimer or CDR. The retimer/CDR locking modes are set according  
4 to the logic table defined in Table 10-2. The default value of bits 110.3 and 118.3 is 1.

5

6

**TABLE 10-2 RETIMER/CDR RATE SELECT LOGIC TABLE**

When byte 13d of A0h is set to 0Eh and bit 64.3 of A0h is set to 1			
Logic OR of RS0 pin and RS0 bit	Logic OR of RS1 pin and RS1 bit	Receiver retimer/CDR	Transmitter retimer/CDR
Low/0	Low/0	Lock at low bit rate	Lock at low bit rate
Low/0	High/1	Lock at high bit rate	Bypass
High/1	Low/0	Bypass	Bypass
High/1	High/1	Lock at high bit rate	Lock at high bit rate

7 Note: Low and high bit rates are defined in byte 13d of A0h.

## 8 10.2 Vendor Specific Locations [Address A2h, Bytes 120-126]

9 Addresses 120-126 are defined for vendor specific memory functions. Potential usage includes vendor  
10 password field for protected functions, scratch space for calculations or other proprietary content.

## 11 10.3 Optional Page Select Byte [Address A2h, Byte 127]

12 In order to provide memory space for DWDM and CDR control functions and for other potential extensions,  
13 multiple Pages can be defined for the upper half of the A2h address space. At startup the value of byte 127  
14 defaults to 00h, which points to the User EEPROM. This ensures backward compatibility for transceivers that  
15 do not implement the optional Page structure. When a Page value is written to byte 127, subsequent reads  
16 and writes to bytes 128-255 are made to the relevant Page.

17 This specification defines functions in Pages 00h-02h. Pages 03-7Fh are reserved for future use. Writing the  
18 value of a non-supported Page shall not be accepted by the transceiver. The Page Select byte shall revert to  
19 0 and read / write operations shall be to the unpagged A2h memory map.

20 Pages 80h-FFh are reserved for vendor specific functions.

21

**TABLE 10-3 OPTIONAL PAGE SELECT BYTE**

A2h	# Bytes	Name	Description
120-126	7	Vendor Specific	Vendor specific memory addresses
127	1	Optional Page Select	Defines the page number for subsequent reads and writes to locations A2h<128-255>



#### 1 10.4 User Accessible EEPROM Locations [Address A2h, Page 00h / 01h, Bytes 128-247]

2 For transceivers that do not support pages, or if the Page Select byte is written to 00h or 01h, addresses  
 3 128-247 represent 120 bytes of user/host writable non-volatile memory - for any reasonable use. Consult  
 4 vendor datasheets for any limits on writing to these locations, including timing and maximum number of  
 5 writes. Potential usage includes customer specific identification information, usage history statistics, scratch  
 6 space for calculations, etc. It is generally not recommended this memory be used for latency critical or  
 7 repetitive uses.

8 **TABLE 10-4 USER ACCESSIBLE EEPROM LOCATIONS**

A2h	# Bytes	Name	Description
128-247	120	User EEPROM	User writable EEPROM

#### 10 10.5 Vendor Specific Control Function Locations [Address A2h, Page 00h / 01h, Bytes 248-255]

11 For transceivers that do not support pages, or if the Page Select byte is written to 00h or 01h, addresses  
 12 248-255 are defined for vendor specific control functions. Potential usage includes proprietary functions  
 13 enabled by specific vendors, often managed in combination with addresses 120-127.

14 **TABLE 10-5 VENDOR SPECIFIC CONTROL FUNCTION LOCATIONS**

A2h	# Bytes	Name	Description
248-255	8	Vendor Specific	Vendor specific control functions

#### 16 10.6 Variable Receiver Decision Threshold Control [Address A2h, Page 02h, Bytes 130-131]

17 Byte 131 of Page 02h is used to control the variable receiver decision threshold function. The availability of  
 18 this function is indicated in address A0h, byte 65, bit 7 in the serial ID section. Byte 131 is a 2's complement  
 19 7-bit value (-128 to +127). The decision threshold is given by:

20 Decision Threshold = 50% + [Byte(131) / 256] \* 100%

21 The value of byte 131 defaults to 0 on power-up. This corresponds to a threshold of 50%.

22 **TABLE 10-6 VARIABLE RECEIVER DECISION THRESHOLD CONTROL**

Address	# Bytes	Name	Description
130	1	Reserved	Reserved for additional receiver controls
131	1	Optional RDT Control	Value sets the receiver decision threshold: 10000000b = -128d; threshold = 0% 00000000b = 0d; threshold = 50% 01111111b = +127d; threshold = 99.61%

23  
 24 ----- END OF DOCUMENT -----