



## SFF-TA-1026

Specification for

### Storage System High Speed Cable Interconnect

Rev ~~1.1.4~~1.1.5 ~~May 23, 2025~~June 23, 2025

SECRETARIAT: SFF TWG

This specification is made available for public review at <https://www.snia.org/sff/specifications>. Comments may be submitted at <https://www.snia.org/feedback>. Comments received will be considered for inclusion in future revisions of this specification.

This document has been released by SNIA. The SFF TWG believes that the ideas, methodologies, and technologies described in this document are technically accurate and are appropriate for widespread distribution.

The description in this specification does not assure that the specific component is available from suppliers. If such a component is supplied, it should comply with this specification to achieve interoperability between suppliers.

ABSTRACT: This specification defines the Storage System High Speed Interconnect: a shielded, board-to-board cable assembly and SMT board connector interface. The connector as shown has 72 or 144 contacts based on bandwidth needs. The cable-side connector is available in horizontal exit, angle exit, and vertical exit applications.

#### POINTS OF CONTACT:

SNIA Technical Council Administrator  
Email: [TCAdmin@snia.org](mailto:TCAdmin@snia.org)

Chairman SFF TWG  
Email: [SFF-Chair@snia.org](mailto:SFF-Chair@snia.org)

#### EDITOR:

Egide Murisa, Molex LLC

## INTELLECTUAL PROPERTY

The user's attention is called to the possibility that implementation of this specification may require the use of an invention covered by patent rights. By distribution of this specification, no position is taken with respect to the validity of a claim or claims or of any patent rights in connection therewith.

This specification is covered by the SNIA IP Policy and as a result goes through a request for disclosure when it is published.

**The SNIA IP Review Process is still in progress and is completing on xx xx, xxxx. If IP disclosures that affect this specification are made during this process, this specification may be withdrawn.**

Additional information can be found at the following locations:

- Results of IP Disclosures: <https://www.snia.org/sffdisclosures>
- SNIA IP Policy: [https://www.snia.org/about/corporate\\_info/ip\\_policy](https://www.snia.org/about/corporate_info/ip_policy)

## COPYRIGHT

SNIA hereby grants permission for individuals to use this document for personal use only, and for corporations and other business entities to use this document for internal use only (including internal copying, distribution, and display) provided that:

1. Any text, diagram, chart, table or definition reproduced shall be reproduced in its entirety with no alteration, and,
2. Any document, printed or electronic, in which material from this document (or any portion hereof) is reproduced shall acknowledge the SNIA copyright on that material, and shall credit SNIA for granting permission for its reuse.

Other than as explicitly provided above, there may be no commercial use of this document, or sale of any part, or this entire document, or distribution of this document to third parties. All rights not explicitly granted are expressly reserved to SNIA.

Permission to use this document for purposes other than those enumerated (Exception) above may be requested by e-mailing [copyright\\_request@snia.org](mailto:copyright_request@snia.org). Please include the identity of the requesting individual and/or company and a brief description of the purpose, nature, and scope of the requested use. Permission for the Exception shall not be unreasonably withheld. It can be assumed permission is granted if the Exception request is not acknowledged within ten (10) business days of SNIA's receipt. Any denial of permission for the Exception shall include an explanation of such refusal.

## DISCLAIMER

The information contained in this publication is subject to change without notice. SNIA makes no warranty of any kind with regard to this specification, including, but not limited to, the implied warranties of merchantability and fitness for a particular purpose. SNIA shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance, or use of this specification.

Suggestions for revisions should be directed to <https://www.snia.org/feedback/>.

## FOREWORD

The development work on this specification was done by the SNIA SFF TWG, an industry group. Since its formation as the SFF Committee in August 1990, as well as since SFF's transition to SNIA in 2016, the membership has included a mix of companies which are leaders across the industry.

For those who wish to participate in the activities of the SFF TWG, the signup for membership can be found at <https://www.snia.org/join>.

## REVISION HISTORY

**Rev 1.0** *November 22, 2021:*

- First Publication

**Rev 1.1** *July 18, 2024:*

- Added the following connector variants:
  - o Dual-Bay Free-Side Horizontal (0°) Cable Exit with Pull-Tab
  - o Dual-Bay Free-Side 60° Angle Cable Exit with Pull-Tab
- Revised drawings and made editorial fixes.

**Rev 1.1.1** *March 18, 2025:*

- Added low profile Fixed-Side connector variants with pin protection features
- Added Free-Side connector variants for the low profile Fixed-Side connectors
- Updated the Configurations Overview/Descriptions in Section 4.1
- Updated the Abstract section
- Made other editorial fixes

**Rev 1.1.2** *May 16, 2025:*

- Created a new section to focus on the low-profile connector variants
- Combined the previous sections 5, 6, and 7 into section 5 for the standard height connector variants

**Rev 1.1.3** *May 20, 2025:*

- Added new definitions for Type 1 and Type 2
- Replaced "Standard Height" description with Type 1
- Replaced "Low Profile" description with Type 2
- Updated the specification template to GOV-TA-0004 R1.2.2

**Rev 1.1.4** *May 23, 2025:*

- Replaced "1st Generation" description with Type 1
- Replaced "2nd Generation" description with Type 2

**Rev 1.1.5** *June 23, 2025:*

- Fixed typo in Table 4-1. Dim "Y" for Config 2 Type 2: 13.08 -> 13.00
- Fixed errors in Figure 5-18. Sig-to-Sig: 0.49mm -> 0.53mm, Sig-to-GND: 0.76mm -> 0.74mm & 0.68mm -> 0.69mm
- Fixed typo in Table 7-1.

**Contents**

1.	Scope	9
2.	References and Conventions	9
2.1	Industry Documents	9
2.2	Sources	9
2.3	Conventions	9
3.	Keywords, Acronyms, and Definitions	10
3.1	Keywords	10
3.2	Acronyms and Abbreviations	11
3.3	Definitions	11
4.	General Description	13
4.1	Configuration Overview/Descriptions	13
4.1.1	Configuration 1: With Free-Side Horizontal (0°) Cable Exit with Pull-Tab	14
4.1.2	Configuration 2: With Free-Side 60° Angle Cable Exit with Pull-Tab	15
4.1.3	Configuration 3: With Free-Side Vertical (90°) Cable Exit	16
4.1.4	Configuration 4: With Free-Side Horizontal (0°) Cable Exit NON Pull-Tab	16
4.1.5	Configuration 5: With Free-Side 60° Angle Cable Exit NON Pull-Tab	18
4.1.6	Configuration 6: Dual-Bay Free-Side Horizontal (0°) Cable Exit with Pull-Tab	18
4.1.7	Configuration 7: Dual-Bay Free-Side 60° Angle Cable Exit with Pull-Tab	19
4.2	Contact Numbering	20
4.3	Datums	25
4.3.1	Fixed-Side Connector Datum Descriptions	25
4.3.2	Free-Side Connector Datum Descriptions	26
5.	Type 1 Connector Mechanical Specification	28
5.1	Fixed-Side Mechanical Specification	28
5.1.1	Overview	28
5.1.2	Mechanical Description: Fixed-Side Connector	31
5.1.3	Mechanical Description: Fixed-Side Connector	31
5.1.4	Mechanical Description: Dual-Bay Fixed-Side Connector	34
5.2	Free-Side Mechanical Specification	37
5.2.1	Overview	37
5.2.2	Mechanical Description: Free-Side Connectors	37
5.2.3	Free-Side Variant 1: Horizontal (0°) Cable Exit with Pull Tab	37
5.2.4	Free-Side Variant 2: 60° Angle Cable Exit with Pull Tab	43
5.2.5	Free-side Variant 3: Vertical (90°) Cable Exit with Pull Tab	44
5.2.6	Free-side Variant 4: Horizontal (0°) Cable Exit NON Pull-Tab	45
5.2.7	Free-side Variant 5: 60° Angle Cable Exit NON Pull-Tab	45
5.2.8	Free-side Variant 6: Dual-Bay Horizontal (0°) Cable Exit with Pull-Tab	46
5.2.9	Free-side Variant 7: Dual-Bay 60° Angle Cable Exit with Pull-Tab	49
5.3	Dust Covers	50
5.3.1	Free-Side Connector Dust Cover	50
5.3.2	Dual-Bay Dust Cover	53
6.	Type 2 Connector Mechanical Specification	55
6.1	Fixed-Side Mechanical Specification	55
6.1.1	Overview	55
6.1.2	Mechanical Description: Fixed-Side Connector	56
6.1.3	Mechanical Description: Fixed-Side Connector	57
6.2	Free-Side Mechanical Specification	60
6.2.1	Overview	60
6.2.2	Mechanical Description: Free-Side Connectors	60
6.2.3	Free-Side Variant 1: Horizontal (0°) Cable Exit with Pull Tab	61



1	6.2.4	Free-Side Variant 2: 60° Angle Cable Exit with Pull Tab	64
2	6.2.5	Free-side Variant 3: Vertical (90°) Cable Exit with Pull Tab	65
3	6.3	Dust Covers	66
4	6.3.1	Free-Side Connector Dust Cover	66
5	7.	Test Requirements and Methodologies (TS-1000, etc.)	69
6	7.1	Performance Tables	69
7	Appendix A.	System Mechanical Specification (Normative)	72
8	A.1.	Overview	72
9	A.2.	PCB Layout	72
10	A.2.1.	PCB Layout for 72P Connector Footprints	72
11	A.2.2.	PCB Layout for 144P Connector Footprints	74
12	Appendix B.	Minimum Connector Spacing Requirements (Informative)	75
13	Appendix C.	Gatherability (Informative)	77
14	C.1	Type 1 Connector	77
15	C.2	Type 2 Connector	79
16			
17			

**Figures**

1	Figure 3-1: Fixed-side and Free-side Connector Definition	11
2	Figure 3-2: Wipe for a Continuous Contact	12
3	Figure 4-1: Overall Dimensions for Connector/Cable Configurations	13
4	Figure 4-2: Configuration 1- Unmated and Mated	14
5	Figure 4-3: Configuration 2- Unmated and Mated	15
6	Figure 4-4: Configuration 3- Unmated and Mated	16
7	Figure 4-5: Configuration 4- Mated	17
8	Figure 4-6: Configuration 5- Mated	18
9	Figure 4-7: Configuration 6 - Unmated and Mated	19
10	Figure 4-8: Configuration 7 - Unmated and Mated	19
11	Figure 4-9: Free-side Connector Contact Numbering	20
12	Figure 4-10: Cable Assembly Free-side Connector Numbering	22
13	Figure 4-11: Cable Assembly Free-Side Connector Contact Numbering	23
14	Figure 4-12: Fixed-Side Connector Datums	25
15	Figure 4-13: Dual-Bay Fixed-Side Connector Datums	26
16	Figure 4-14: Horizontal (0°) Free-Side Connector Datums	26
17	Figure 4-15: Vertical Cable Exit Free-Side Connector Datums	27
18	Figure 4-16: Dual-Bay Free-Side Connector Datum Descriptions	28
19	Figure 5-1: Fixed-Side Connector without Vacuum Cap	29
20	Figure 5-2: Fixed-Side Connector with Vacuum Cap	29
21	Figure 5-3: Dual-Bay Fixed-Side Connector without Vacuum Cap	30
22	Figure 5-4: Dual-Bay Fixed-Side Connector with Vacuum Cap	30
23	Figure 5-5: Profile View of Fixed- Side Connector Cage	31
24	Figure 5-6: Front View of Fixed-Side Connector Cage	32
25	Figure 5-7: Back View of Fixed-Side Connector Cage	32
26	Figure 5-8: Bottom View of Fixed-Side Connector (1 of 2)	33
27	Figure 5-9: Bottom View of Fixed-Side Connector (2 of 2)	33
28	Figure 5-10: Top View of Fixed-Side Connector	34
29	Figure 5-11: Dual-Bay Profile View of Fixed-Side Connector Cage	34
30	Figure 5-12: Dual-Bay Front View of Fixed-Side Connector Cage	35
31	Figure 5-13: Dual-Bay Back View of Fixed-Side Connector Cage	35
32	Figure 5-14: Dual-Bay Bottom View of Fixed-Side Connector	36
33	Figure 5-15: Dual-Bay Top View of Fixed-Side Connector	36
34	Figure 5-16: Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & Pull Tab	37
35	Figure 5-17: Latch for Free-Side Connector	38
36	Figure 5-18: Top View of Free-Side Connector in Relation to Housing	40
37	Figure 5-19: Front View of Free-Side Connector	41
38	Figure 5-20: Finished Cable Assembly with Length Dimension	42
39	Figure 5-21: Profile View of Free-Side Connector with 60° Angle Cable Exit & Pull Tab	43
40	Figure 5-22: Profile View of Free-Side Connector with Vertical (90°) Cable Exit & Pull Tab	44
41	Figure 5-23: Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & NON Pull-Tab	45
42	Figure 5-24: Profile View of Free-Side Connector with 60° Angle Cable Exit & NON Pull Tab	45
43	Figure 5-25: Dual-Bay Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & Pull Tab	46
44	Figure 5-26: Dual-Bay Latch of Free-Side Connector	46
45	Figure 5-27: Top View of Free-Side Connector in Relation to Housing	47
46	Figure 5-28: Front View of Free-Side Connector	47
47	Figure 5-29: Finished Cable Assembly with Length Dimension	48
48	Figure 5-30: Profile View of Free-Side Connector with 60° Angle Cable Exit & Pull Tab	49
49	Figure 5-31: Free-Side Connector & Dust Cover Assembly Direction	50
50	Figure 5-32: Top View of Free-Side Connector with Dust Cover Attached	50
51	Figure 5-33: Profile View of Free-Side Connector with Dust Cover Attached	51
52	Figure 5-34: Top View of Vacuum Cap for Cage	52
53	Figure 5-35: Profile View of Vacuum Cap for Cage	52
54	Figure 5-36: Free-Side Connector & Dust Cover Assembly Direction	53

1	Figure 5-37: Top View of Free-Side Connector with Dust Cover Attached	53
2	Figure 5-38: Profile View of Free-Side Connector with Dust Cover Attached	54
3	Figure 5-39: Top View of Vacuum Cap for Cage	54
4	Figure 5-40: Profile View of Vacuum Cap for Cage	54
5	Figure 6-1: Fixed-Side Connector without Vacuum Cap	55
6	Figure 6-2: Fixed-Side Connector with Vacuum Cap	56
7	Figure 6-3: Profile View of Fixed- Side Connector Cage	57
8	Figure 6-4: Front View of Fixed-Side Connector Cage	58
9	Figure 6-5: Back View of Fixed-Side Connector Cage	58
10	Figure 6-6: Bottom View of Fixed-Side Connector (1 of 2)	59
11	Figure 6-7: Bottom View of Fixed-Side Connector (2 of 2)	59
12	Figure 6-8: Top View of Fixed-Side Connector	60
13	Figure 6-9: Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & Pull Tab	61
14	Figure 6-10: Latch for Free-Side Connector	61
15	Figure 6-11: Top View of Free-Side Connector in Relation to Housing	62
16	Figure 6-12: Front View of Free-Side Connector	62
17	Figure 6-13: Finished Cable Assembly with Length Dimension	63
18	Figure 6-14: Profile View of Free-Side Connector with 60° Angle Cable Exit & Pull Tab	64
19	Figure 6-15: Profile View of Free-Side Connector with Vertical (90°) Cable Exit & Pull Tab	65
20	Figure 6-16: Free-Side Connector & Dust Cover Assembly Direction	66
21	Figure 6-17: Top View of Free-Side Connector with Dust Cover Attached	66
22	Figure 6-18: Profile View of Free-Side Connector with Dust Cover Attached	67
23	Figure 6-19: Top View of Vacuum Cap for Cage	67
24	Figure 6-20: Profile View of Vacuum Cap for Cage	68
25	Figure A-1: PCB Layout	72
26	Figure A-2: Pad Width Detail 1	73
27	Figure A-3: Pad Width Detail 2	73
28	Figure A-4: Footprint for 2 Pegs Option	74
29	Figure A-5: Footprint for 3 pegs Option	74
30	Figure B-1: Minimum Connector Spacing Requirements for 72P Connector	75
31	Figure B-2: Outline of Mated Connector (144P) on PCB	76
32	Figure B-3: Minimum Connector Spacing Requirements for 144P Connector	76
33	Figure C-1: Lateral Gatherability	77
34	Figure C-2: Longitudinal Gatherability	78
35	Figure C-3: Angular Gatherability	78
36	Figure C-4: Lateral Gatherability	79
37	Figure C-5: Longitudinal Gatherability	79
38	Figure C-6: Angular Gatherability	80
39		
40		
41		

**Tables**

Table 4-1 Overall Dimension Values for Connector/ Cable Configurations	13
Table 4-2 Compatibility Matrix for Type 1 and Type 2 connector Configurations	13
Table 4-3: Free-Side Connector Pin Out	21
Table 4-4: Cable Assembly Wiring Diagram	24
Table 4-5: Fixed-Side Connector Datum Descriptions	25
Table 4-6: Dual-Bay Fixed-Side Connector Datum Descriptions	26
Table 4-7: Free-Side Connector Datum Descriptions	27
Table 4-8: Dual-Bay Horizontal (0°) Free-Side Connector Datum Descriptions	28
Table 5-1: Press Fit Tail Lengths for Fixed-Side Connector Cage	31
Table 5-2: Dual-Bay Tail Lengths of Fixed-Side Connector Cage	35
Table 5-3: Typical Cable-Connector Required Lengths	42
Table 5-4: Typical Cable-Connector Required Lengths	48
Table 6-1: Press Fit Tail Lengths for Fixed-Side Connector Cage	57
Table 6-2: Typical Cable-Connector Required Lengths	63
Table 7-1: Form Factor Performance Requirements	69
Table 7-2: EIA-364-1000 Test Details	70
Table 7-3: Additional Test Procedures	71
Table B-1: Spacing Recommendation for Mating Receptable Cable Assemblies	76

## 1. Scope

This specification defines the Storage System High Speed Interconnect. This 72-contact interconnect system is a shielded, board-to-board solution that consists of 18 differential pairs and 16 single-ended signals. The dimensional requirements for both sides of this connector system as well as performance requirements are detailed in this specification. Additional information is available in the appendices.

## 2. References and Conventions

### 2.1 Industry Documents

The following documents are relevant to this specification:

- ASME Y14.5 Dimensioning and Tolerancing
- EIA-364-1000 Environmental Test Methodology for Assessing the Performance of Electrical Connectors and Sockets Used in Controlled Environment Applications

### 2.2 Sources

The complete list of SFF documents which have been published, are currently being worked on, or that have been expired by the SFF Committee can be found at <https://www.snia.org/sff/specifications>. Suggestions for improvement of this specification are welcome and should be submitted to <https://www.snia.org/feedback>.

Standard	Organization	Website
ASME	American Society of Mechanical Engineers (ASME)	<a href="https://www.asme.org">https://www.asme.org</a>
Electronic Industries Alliance (EIA)	Electronic Components Industry Association (ECIA)	<a href="https://www.ecianow.org">https://www.ecianow.org</a>

### 2.3 Conventions

The following conventions are used throughout this document:

**DEFINITIONS:** Certain words and terms used in this standard have a specific meaning beyond the normal English meaning. These words and terms are defined either in the definitions or in the text where they first appear.

**ORDER OF PRECEDENCE:** If a conflict arises between text, tables, or figures, the order of precedence to resolve the conflicts is text; then tables; and finally figures. Not all tables or figures are fully described in the text. Tables show data format and values.

**LISTS:** Lists sequenced by lowercase or uppercase letters show no ordering relationship between the listed items.

EXAMPLE 1 - The following list shows no relationship between the named items:

- a. red (i.e., one of the following colors):
  - A. crimson; or
  - B. pink;
- b. blue; or
- c. green.

Lists sequenced by numbers show an ordering relationship between the listed items.

EXAMPLE 2 -The following list shows an ordered relationship between the named items:

1. top;
2. middle; and
3. bottom.

Lists are associated with an introductory paragraph or phrase and are numbered relative to that paragraph or phrase (i.e., all lists begin with an a. or 1. entry).

**DIMENSIONING CONVENTIONS:** The dimensioning conventions are described in ASME-Y14.5, Geometric Dimensioning and Tolerancing. All dimensions are in millimeters, which are the controlling dimensional units (if inches are supplied, they are for guidance only).

**NUMBERING CONVENTIONS:** The ISO convention of numbering is used (i.e., the thousands and higher multiples are separated by a space and a period is used as the decimal point). This is equivalent to the English/American convention of a comma and a period.

American	French	ISO
0.6	0,6	0.6
1,000	1 000	1 000
1,323,462.9	1 323 462,9	1 323 462.9

### 3. Keywords, Acronyms, and Definitions

For the purposes of this document, the following keywords, acronyms, and definitions apply.

#### 3.1 Keywords

**May:** Indicates flexibility of choice with no implied preference.

**May or may not:** Indicates flexibility of choice with no implied preference.

**Obsolete:** Indicates that an item was defined in prior specifications but has been removed from this specification.

**Optional:** Describes features which are not required by the SFF specification. However, if any feature defined by the SFF specification is implemented, it shall be implemented as defined by the specification. Describing a feature as optional in the text is an informational callout to assist the reader.

**Prohibited:** Describes a feature, function, or coded value that is defined in a referenced specification to which this SFF specification makes a reference, where the use of said feature, function, or coded value is not allowed for implementations of this specification.

**Reserved:** Where the term is used for a signal on a connector contact, the function is set aside for future standardization. It is not available for vendor specific use. Where this term is used for bits, bytes, fields, and code values; the bits, bytes, fields, and code values are set aside for future standardization. The default value shall be zero. The originator is required to define a Reserved field or bit as zero, but the receiver should not check Reserved fields or bits for zero.

**Restricted:** Refers to features, bits, bytes, words, and fields that are set aside for other standardization purposes. If the context of the specification applies to the restricted designation, then the restricted bit, byte, word, or field shall be treated as a value whose definition is not in scope of this document, and is not interpreted by this specification.

**Shall:** Indicates a mandatory requirement. Designers are required to implement all such mandatory requirements to ensure interoperability with other products that conform to this specification.

**Should:** Indicates flexibility of choice with a strongly preferred alternative.

**Vendor specific:** Indicates something (e.g., a bit, field, code value) that is not defined by this specification. Specification of the referenced item is determined by the manufacturer and may be used differently in various implementations.



## 3.2 Acronyms and Abbreviations

**PCB:** Printed Circuit Board

**PF:** Press Fit

**PTH:** Plated Through Hole

**SMT:** Surface Mount Technology


## 3.3 Definitions

**Connector:** Each half of an interface that, when joined together, establish electrical contact and mechanical retention between two components. In this specification, the term connector does not apply to any specific gender; it is used to describe the fixed-side, the free-side, or the union of fixed-side to free-side. Other common terms include: connector interface, mating interface, and separable interface.

**Contacts:** A term used to describe connector terminals that make electrical connections across a separable interface.

**Fixed-side connector:** A term used to describe a connector that is terminated to a PCB. An example is shown in Figure 3-1.

**Free-side connector:** A term used to describe connector terminals that make electrical connections across a separable interface (i.e. the cable end). An example is shown in Figure 3-1.



**Figure 3-1: Fixed-side and Free-side Connector Definition**

**Plated through hole termination:** A term used to describe a termination style in which rigid pins extend into or through the PCB. Pins are soldered to keep the connector or cage in place. Other common terms are through hole or PTH.

**Press fit:** A term used to describe a termination style in which collapsible pins penetrate the surface of a PCB. Upon insertion, the pins collapse to fit inside the PCB's plated through holes. The connector or cage is held in place by the interference fit between the collapsed pins and the PCB.

**Surface mount:** A term used to describe a termination style in which solder tails sit on pads on the surface of a PCB and are then soldered to keep the connector or cage in place. Other common terms are surface mount technology or SMT.

**Termination:** A term used to describe a connector's non-separable attachment point such as a connector contact to a bulk cable, a cage to a PCB, or a solder tail to PCB. Common PCB terminations include: surface mount (SMT), plated through hole termination (PTH), and press fit (PF). Common cable terminations include insulation


displacement contact (IDC), insulation displacement termination (IDT), wire slots, solder, welds, crimps, and brazes.

**Vertical:** A term used to describe a connector design where the mating direction is perpendicular to the printed circuit board upon which the connector is mounted.

**Type 1:** A term used to describe the connector variants in SFF-TA-1026 Rev 1.1 and earlier revisions.

**Type 2:** A term used to describe the lower profile connector variants with pin protection features.

**Wipe:** The distance a contact travels on the surface of its mating contact during the mating cycle as shown in Figure 3-2.



**Figure 3-2: Wipe for a Continuous Contact**

# 4. General Description

## 4.1 Configuration Overview/Descriptions

The connector system described in this document is made up of fixed-side connectors and free-side connectors. The free-side connectors may have one of three different cable exit directions (horizontal (0°), 60°, or vertical (90°)) and may or may not have a pull tab.




Figure 4-1: Overall Dimensions for Connector/Cable Configurations

Table 4-1 Overall Dimension Values for Connector/ Cable Configurations

Config	Description	Dim "X"	Dim "Y" for Type 1	Dim "Z" for Type 1	Dim "Y" for Type 2	Dim "Z" for Type 2
1	Free-Side Horizontal (0°) Cable Exit with Pull-Tab	27.20	11.43	11.80	11.43	9.8
2	Free-Side 60° Angle Cable Exit with Pull-Tab		13.00	11.80	13.00	9.8
3	Free-Side Vertical (90°) Cable Exit with Pull-Tab		9.55	14.40	9.55	14.40
4	Free-Side Horizontal (0°) Cable Exit with NON Pull-Tab	53.05	12.75	11.20	N/A	
5	Free-Side 60° Angle Cable Exit with NON Pull-Tab		13.00	11.20		
6	Dual-Bay Free-Side Horizontal (0°) Cable Exit with Pull-Tab		11.60	11.80		
7	Dual-Bay Free-Side 60° Angle Cable Exit with Pull-Tab		13.20	11.80		

Table 4-2 Compatibility Matrix for Type 1 and Type 2 connector Configurations

	Type 1 – Free-Side	Type 2 – Free-Side
Type 1 – Fixed-Side	Fully Supported	Not Supported (see Note 2)
Type 2 – Fixed-Side	Supported – limited to Type 1 capability	Fully Supported

NOTES:

1. It is recommended that all future designs use the Type 2 fixed-side connector.
2. Insertion force required to latch Type 2 free-side connector into Type 1 fixed-side connector exceeds the limits specified in Table 7-1.

#### 4.1.1 Configuration 1: With Free-Side Horizontal (0°) Cable Exit with Pull-Tab

This configuration has the cables exiting the connector perpendicular to the direction of mating and parallel to the PCB. It includes a pull tab for unmating of the connector.




Figure 4-2: Configuration 1- Unmated and Mated

#### 4.1.2 Configuration 2: With Free-Side 60° Angle Cable Exit with Pull-Tab

This configuration has the cables exiting the connector at a 60° angle in relation to the PCB. It also includes a pull tab for unmating of the connector.




Figure 4-3: Configuration 2- Unmated and Mated

### 4.1.3 Configuration 3: With Free-Side Vertical (90°) Cable Exit

This configuration has the cables exiting the connector parallel to the direction of mating and perpendicular to the PCB. It also includes a pull tab for unmating of the connector. The vertical cable exit is not available without a pull tab.




Figure 4-4: Configuration 3- Unmated and Mated

### 4.1.4 Configuration 4: With Free-Side Horizontal (0°) Cable Exit NON Pull-Tab

This configuration has the cables exiting the connector perpendicular to the direction of mating and parallel to the PCB (same as Configuration 1) except this has a latch that is intended to be pressed by the index finger while grabbing the sides with the thumb and other finger(s).






Figure 4-5: Configuration 4- Mated

#### 4.1.5 Configuration 5: With Free-Side 60° Angle Cable Exit NON Pull-Tab

This configuration has the cables exiting the connector at a 60° angle in relation to the PCB (same as Configuration 2) except this also has a latch that is intended to be pressed by the index finger while grabbing the sides with the thumb and other finger(s).




Figure 4-6: Configuration 5- Mated

#### 4.1.6 Configuration 6: Dual-Bay Free-Side Horizontal (0°) Cable Exit with Pull-Tab

This configuration has the cables exiting the connector perpendicular to the direction of mating and parallel to the PCB. It also includes a pull tab for unmating of the connector.




Figure 4-7: Configuration 6 - Unmated and Mated

#### 4.1.7 Configuration 7: Dual-Bay Free-Side 60° Angle Cable Exit with Pull-Tab

This configuration has the cables exiting the connector at a 60° angle in relation to the PCB. It also includes a pull tab for unmating of the connector.





Figure 4-8: Configuration 7 - Unmated and Mated

## 4.2 Contact Numbering

The electrical contacts in this connector are numbered as shown in Figure 4-9. Electrical assignments are captured in Table 4-3. Contacts labeled "S" denote signals that carry half of a high-speed differential pair. Contacts labeled "SB" carry sideband signals. Ground contacts are labeled "GND".



**Figure 4-9: Free-side Connector Contact Numbering**


1

Table 4-3: Free-Side Connector Pin Out

Contact	Assignment	Assignment	Contact
1	GND	GND	72
2	S	S	71
3	S	S	70
4	GND	GND	69
5	S	S	68
6	S	S	67
7	GND	GND	66
8	S	S	65
9	S	S	64
10	GND	GND	63
11	S	S	62
12	S	S	61
13	GND	GND	60
14	S	S	59
15	S	S	58
16	GND	GND	57
17	S	S	56
18	S	S	55
19	GND	GND	54
20	S	S	53
21	S	S	52
22	GND	GND	51
23	S	S	50
24	S	S	49
25	GND	GND	48
26	S	S	47
27	S	S	46
28	GND	GND	45
29	SB	SB	44
30	SB	SB	43
31	SB	SB	42
32	SB	SB	41
33	SB	SB	40
34	SB	SB	39
35	SB	SB	38
36	SB	SB	37


2  
3

Figure 4-10 and Figure 4-11 illustrate cable assembly connector and contact numbering. Table 4-4 captures the cable signal wiring.



**Figure 4-10: Cable Assembly Free-side Connector Numbering**





**Figure 4-11: Cable Assembly Free-Side Connector Contact Numbering**

1

Table 4-4: Cable Assembly Wiring Diagram

P1			P2	
Contact	Assignment		Assignment	Contact
1	GND	↔	GND	45
2	S	↔	S	46
3	S	↔	S	47
4	GND	↔	GND	48
5	S	↔	S	49
6	S	↔	S	50
7	GND	↔	GND	51
8	S	↔	S	52
9	S	↔	S	53
10	GND	↔	GND	54
11	S	↔	S	55
12	S	↔	S	56
13	GND	↔	GND	57
14	S	↔	S	58
15	S	↔	S	59
16	GND	↔	GND	60
17	S	↔	S	61
18	S	↔	S	62
19	GND	↔	GND	63
20	S	↔	S	64
21	S	↔	S	65
22	GND	↔	GND	66
23	S	↔	S	67
24	S	↔	S	68
25	GND	↔	GND	69
26	S	↔	S	70
27	S	↔	S	71
28	GND	↔	GND	72
29	SB	↔	SB	37
30	SB	↔	SB	38
31	SB	↔	SB	39
32	SB	↔	SB	40
33	SB	↔	SB	41
34	SB	↔	SB	42
35	SB	↔	SB	43
36	SB	↔	SB	44

P1			P2	
Contact	Assignment		Assignment	Contact
37	SB	↔	SB	29
38	SB	↔	SB	30
39	SB	↔	SB	31
40	SB	↔	SB	32
41	SB	↔	SB	33
42	SB	↔	SB	34
43	SB	↔	SB	35
44	SB	↔	SB	36
45	GND	↔	GND	1
46	S	↔	S	2
47	S	↔	S	3
48	GND	↔	GND	4
49	S	↔	S	5
50	S	↔	S	6
51	GND	↔	GND	7
52	S	↔	S	8
53	S	↔	S	9
54	GND	↔	GND	10
55	S	↔	S	11
56	S	↔	S	12
57	GND	↔	GND	13
58	S	↔	S	14
59	S	↔	S	15
60	GND	↔	GND	16
61	S	↔	S	17
62	S	↔	S	18
63	GND	↔	GND	19
64	S	↔	S	20
65	S	↔	S	21
66	GND	↔	GND	22
67	S	↔	S	23
68	S	↔	S	24
69	GND	↔	GND	25
70	S	↔	S	26
71	S	↔	S	27
72	GND	↔	GND	28

2  
3

4.3 Datums

The datums defined in Figure 4-12, Figure 4-13, Figure 4-14, Figure 4-15, and Figure 4-16 are used throughout the rest of the document to describe the dimensional requirements of the connector. Additional descriptions are provided in Table 4-5, Table 4-6, Table 4-7, and Table 4-8.

4.3.1 Fixed-Side Connector Datum Descriptions




Figure 4-12: Fixed-Side Connector Datums

Table 4-5: Fixed-Side Connector Datum Descriptions

A	Fixed-side Can (top edge for staging)
K	Fixed-side centerline Y-direction mate side
H	Fixed-side centerline Y-direction PCB side
C	Fixed-side centerline X-direction mate side
F	Fixed-side centerline X-direction PCB side
E	Fixed-side housing (bottom)




Figure 4-13: Dual-Bay Fixed-Side Connector Datums

Table 4-6: Dual-Bay Fixed-Side Connector Datum Descriptions

Y	Fixed-side centerline Y-direction mate side
V-U	Fixed-side centerline Y-direction PCB side
X	Fixed-side centerline X-direction mate side
V	Fixed-side centerline X-direction PCB side
Z	Fixed-side housing (bottom)

### 4.3.2 Free-Side Connector Datum Descriptions






Figure 4-14: Horizontal (0°) Free-Side Connector Datums



**Figure 4-15: Vertical Cable Exit Free-Side Connector Datums**

**Table 4-7: Free-Side Connector Datum Descriptions**

D	Free-side centerline Y-direction mate side
B	Free-side centerline X-direction mate side
A	Free-side connector (bottom for staging)



**Figure 4-16: Dual-Bay Free-Side Connector Datum Descriptions**

**Table 4-8: Dual-Bay Horizontal (0°) Free-Side Connector Datum Descriptions**

Y	Fixed-side centerline Y-direction mate side
X	Fixed-side centerline X-direction mate side
Z	Fixed-side housing (bottom for staging)

## 5. Type 1 Connector Mechanical Specification

### 5.1 Fixed-Side Mechanical Specification

#### 5.1.1 Overview

The fixed-side connector is comprised of insert molded terminals with plastic that are encased by a stainless steel cage with additional press fit tails. The fixed-side connector is designed to mate to all free-side connector variants. The fixed-side connector cages are 0.25mm strip thickness which includes latch windows for the free-side cable connector and two passive latches on the sides. A vacuum cap is also included for pick-and-place equipment for placing the connector on the PCB and protecting the contacts during shipment and handling.

Note: It is recommended that all future designs use the Type 2 fixed-side connector.






Figure 5-1: Fixed-Side Connector without Vacuum Cap






Figure 5-2: Fixed-Side Connector with Vacuum Cap



**Figure 5-3: Dual-Bay Fixed-Side Connector without Vacuum Cap**



**Figure 5-4: Dual-Bay Fixed-Side Connector with Vacuum Cap**

The vacuum cap for the fixed-side connector is designed to fit only one way. It has an arrow on the top surface identifying the location of contact 1 (refer to Section 4.2 for contact numbering).


### 5.1.2 Mechanical Description: Fixed-Side Connector

Unless otherwise shown, the following tolerances shall apply to the figures:

- a. Two & Three Place dimensions =  $\pm 0.05\text{mm}$
- b. Angular dimension =  $\pm 0.5^\circ$

The fixed-side connector cage has four press-fit tails. These tails may be one of two lengths. The selected length is application specific and is dependent on the thickness of the PCB to which the connector is fixed. Press-fit tail lengths are listed in Table 5-1.


### 5.1.3 Mechanical Description: Fixed-Side Connector




**Figure 5-5: Profile View of Fixed-Side Connector Cage**

**Table 5-1: Press Fit Tail Lengths for Fixed-Side Connector Cage**

DIM "A"
2.96
1.50




**Figure 5-6: Front View of Fixed-Side Connector Cage**




NOTE: Signal assignments are identified in Section 4.2. "END GND" refers to contacts 1, 28, 45, and 72.

**Figure 5-7: Back View of Fixed-Side Connector Cage**



NOTE: Signal assignments are identified in Section 4.2. "END GND" refers to contacts 1, 28, 45, and 72.

**Figure 5-8: Bottom View of Fixed-Side Connector (1 of 2)**



**Figure 5-9: Bottom View of Fixed-Side Connector (2 of 2)**




Figure 5-10: Top View of Fixed-Side Connector

#### 5.1.4 Mechanical Description: Dual-Bay Fixed-Side Connector




Figure 5-11: Dual-Bay Profile View of Fixed-Side Connector Cage

Table 5-2: Dual-Bay Tail Lengths of Fixed-Side Connector Cage

DIM "A"
1.50
2.96




Figure 5-12: Dual-Bay Front View of Fixed-Side Connector Cage




Figure 5-13: Dual-Bay Back View of Fixed-Side Connector Cage





## 5.2 Free-Side Mechanical Specification

### 5.2.1 Overview

The free-side connector housing and cover are plastic. Twinaxial cable and single-ended ribbon cable is connected to the mating terminals inside the free-side connector. The free-side connector also includes a stainless steel positive latch with two designs, one for use with a pull tab and one for manual activation by hand. The vertical cable exit design is only available with a pull tab.

### 5.2.2 Mechanical Description: Free-Side Connectors

Unless otherwise shown, the following tolerances shall apply to the figures:

- Two & Three Place dimensions =  $\pm 0.05\text{mm}$
- Angular dimension =  $\pm 0.5^\circ$

### 5.2.3 Free-Side Variant 1: Horizontal ( $0^\circ$ ) Cable Exit with Pull Tab






Figure 5-16: Profile View of Free-Side Connector with Horizontal ( $0^\circ$ ) Cable Exit & Pull Tab




**Figure 5-17: Latch for Free-Side Connector**

The latch position dimensions shown in Figure 5-17 apply to all configurations of the free-side connector.




1




**Figure 5-18: Top View of Free-Side Connector in Relation to Housing**

The dimensions in Figure 5-18 are for intermateability and apply to all configurations of the free-side connector.



**Figure 5-19: Front View of Free-Side Connector**

The dimensions in Figure 5-19 apply to all configurations of the free-side connector.



FINISHED CABLE ASSEMBLY





Figure 5-20: Finished Cable Assembly with Length Dimension

Table 5-3: Typical Cable-Connector Required Lengths

"L"
250
300
400
500
600
700
800
900
1 000



## 5.2.4 Free-Side Variant 2: 60° Angle Cable Exit with Pull Tab



**Figure 5-21: Profile View of Free-Side Connector with 60° Angle Cable Exit & Pull Tab**

Dimensions in Figure 5-21 are specific to the free-side connector with 60° angle cable exit. All dimensions in Figure 5-16 apply except dimensions that are associated with the cable.

### 5.2.5 Free-side Variant 3: Vertical (90°) Cable Exit with Pull Tab




Figure 5-22: Profile View of Free-Side Connector with Vertical (90°) Cable Exit & Pull Tab

### 5.2.6 Free-side Variant 4: Horizontal (0°) Cable Exit NON Pull-Tab




Figure 5-23: Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & NON Pull-Tab

### 5.2.7 Free-side Variant 5: 60° Angle Cable Exit NON Pull-Tab




Figure 5-24: Profile View of Free-Side Connector with 60° Angle Cable Exit & NON Pull Tab

All dimensions shown in Figure 5-23 also apply to the free-side connector with 60° angle cable exit and NON pull tab shown in Figure 5-24.

### 5.2.8 Free-side Variant 6: Dual-Bay Horizontal (0°) Cable Exit with Pull-Tab




Figure 5-25: Dual-Bay Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & Pull Tab








Figure 5-26: Dual-Bay Latch of Free-Side Connector






LENGTH IS MEASURED BY REMOVING SLACK FROM THE CABLE

**Figure 5-29: Finished Cable Assembly with Length Dimension**

**Table 5-4: Typical Cable-Connector Required Lengths**

Dimension "L"
400
900
1000
1200
1500
1900

## 5.2.9 Free-side Variant 7: Dual-Bay 60° Angle Cable Exit with Pull-Tab



**Figure 5-30: Profile View of Free-Side Connector with 60° Angle Cable Exit & Pull Tab**

## 5.3 Dust Covers

### 5.3.1 Free-Side Connector Dust Cover




Figure 5-31: Free-Side Connector & Dust Cover Assembly Direction





Figure 5-32: Top View of Free-Side Connector with Dust Cover Attached





**Figure 5-33: Profile View of Free-Side Connector with Dust Cover Attached**




Figure 5-34: Top View of Vacuum Cap for Cage




Figure 5-35: Profile View of Vacuum Cap for Cage

### 5.3.2 Dual-Bay Dust Cover




Figure 5-36: Free-Side Connector & Dust Cover Assembly Direction







Figure 5-37: Top View of Free-Side Connector with Dust Cover Attached



**Figure 5-38: Profile View of Free-Side Connector with Dust Cover Attached**



**Figure 5-39: Top View of Vacuum Cap for Cage**



**Figure 5-40: Profile View of Vacuum Cap for Cage**

## 6. Type 2 Connector Mechanical Specification

### 6.1 Fixed-Side Mechanical Specification

#### 6.1.1 Overview

The fixed-side connector is comprised of insert molded terminals with plastic that are encased by a stainless steel cage with additional press fit tails. The fixed-side connector is designed to mate to all free-side connector variants. The fixed-side connector cages are 0.25mm strip thickness which includes latch windows for the free-side cable connector and two passive latches on the sides. A vacuum cap is also included for pick-and-place equipment for placing the connector on the PCB and protecting the contacts during shipment and handling.





Figure 6-1: Fixed-Side Connector without Vacuum Cap



**Figure 6-2: Fixed-Side Connector with Vacuum Cap**

#### **6.1.2 Mechanical Description: Fixed-Side Connector**

Unless otherwise shown, the following tolerances shall apply to the figures:

- c. Two & Three Place dimensions =  $\pm 0.05\text{mm}$
- d. Angular dimension =  $\pm 0.5^\circ$

The fixed-side connector cage has four press-fit tails. These tails may be one of two lengths. The selected length is application specific and is dependent on the thickness of the PCB to which the connector is fixed. Press-fit tail lengths are listed in Table 6-1.

### 6.1.3 Mechanical Description: Fixed-Side Connector






Figure 6-3: Profile View of Fixed-Side Connector Cage

Table 6-1: Press Fit Tail Lengths for Fixed-Side Connector Cage

DIM "A"
2.96
1.50




**Figure 6-4: Front View of Fixed-Side Connector Cage**



NOTE: Signal assignments are identified in Section 4.2. "END GND" refers to contacts 1, 28, 45, and 72.


**Figure 6-5: Back View of Fixed-Side Connector Cage**





NOTE: Signal assignments are identified in Section 4.2. "END GND" refers to contacts 1, 28, 45, and 72.

**Figure 6-6: Bottom View of Fixed-Side Connector (1 of 2)**



**Figure 6-7: Bottom View of Fixed-Side Connector (2 of 2)**




### 6.2.1 Overview


### 6.2.2 Mechanical Description: Free-Side Connectors

d. Angular dimension =  $\pm 0.5^\circ$

### 6.2.3 Free-Side Variant 1: Horizontal (0°) Cable Exit with Pull Tab




**Figure 6-9: Profile View of Free-Side Connector with Horizontal (0°) Cable Exit & Pull Tab**




**Figure 6-10: Latch for Free-Side Connector**

The latch position dimensions shown in Figure 6-10 apply to all configurations of the free-side connector.



**Figure 6-11: Top View of Free-Side Connector in Relation to Housing**

The dimensions in Figure 6-11 are for intermateability and apply to all configurations of the free-side connector.



**Figure 6-12: Front View of Free-Side Connector**

The dimensions in Figure 6-12 apply to all configurations of the free-side connector.





Figure 6-13: Finished Cable Assembly with Length Dimension

Table 6-2: Typical Cable-Connector Required Lengths

"L"
250
300
400
500
600
700
800
900
1 000

## 6.2.4 Free-Side Variant 2: 60° Angle Cable Exit with Pull Tab



**Figure 6-14: Profile View of Free-Side Connector with 60° Angle Cable Exit & Pull Tab**

Dimensions in Figure 6-14 are specific to the free-side connector with 60° angle cable exit. All dimensions in Figure 6-9 apply except dimensions that are associated with the cable.

### 6.2.5 Free-side Variant 3: Vertical (90°) Cable Exit with Pull Tab




Figure 6-15: Profile View of Free-Side Connector with Vertical (90°) Cable Exit & Pull Tab

## 6.3 Dust Covers

### 6.3.1 Free-Side Connector Dust Cover




Figure 6-16: Free-Side Connector & Dust Cover Assembly Direction






Figure 6-17: Top View of Free-Side Connector with Dust Cover Attached






**Figure 6-18: Profile View of Free-Side Connector with Dust Cover Attached**



**Figure 6-19: Top View of Vacuum Cap for Cage**



**Figure 6-20: Profile View of Vacuum Cap for Cage**

## 7. Test Requirements and Methodologies (TS-1000, etc.)

### 7.1 Performance Tables

EIA-364-1000 (TS-1000) shall be used to define the test sequences and procedures for evaluating the connector system described in this document. Where multiple test options are available, the manufacturer shall select the appropriate option where not previously specified. The selected procedure should be noted when reporting data. If there are conflicting requirements or test procedures between EIA-364 procedures and those contained within this document, this document shall be considered the prevailing authority.

Unless otherwise specified, procedures for sample size, data, and collection to be followed as specified in EIA-364-1000. See EIA-364-1000 Annex B for objectives of tests and test groups.

Table 7-1 summarizes the performance criteria that are to be satisfied by the connector described in this document. Most performance criteria are validated by EIA-364-1000 testing, but this test suite leaves some test details to be determined. To ensure that testing is repeatable, these details are identified in Table 7-2. Finally, testing procedures used to validate any performance criteria not included in EIA-364-1000 are provided in Table 7-3.

**Table 7-1: Form Factor Performance Requirements**

Performance Parameters	Description/ Details	Requirement
<b>Mechanical/ Physical Requirements</b>		
<b>Plating Type</b>	Plating type on connector contacts	Precious
<b>Surface Treatment</b>	Surface treatment on connector contacts	Non-lubricated
<b>Wipe length</b>	Designed distance a contact traverses over a mating contact surface during mating and resting at a final position	Greater than 0.127mm
<b>Rated Durability Cycles</b>	The expected number of durability cycles a component is expected to encounter over the course of its life	Connector/ cage: 200 cycles
<b>Latched Mating Force*</b>	Amount of force needed to mate a module with a connector when latches are deactivated	27 N MAX
<b>Latch Retention*</b>	Amount of force the latching mechanism can withstand	109 N MIN 121 N MAX
<b>Environmental Requirements</b>		
<b>Field Life</b>	The expected service life for a component	7 years
<b>Field Temperature</b>	The expected service temperature for a component	0°C to 85°C
<b>Electrical Requirements</b>		
<b>Current*</b>	Maximum current to which a contact is exposed in use Refer to Table 4-3 for contact descriptions	0.65 A per "S" contact MAX 0.30 A per "SB" contact MAX
<b>Operating Rating Voltage</b>	Maximum voltage to which a contact is exposed in use	29.9 V DC per contact MAX
<b>NOTE:</b> Performance criteria denoted with stars (*) are not validated by EIA-364-1000 testing. Refer to Table 7-3 for test procedures and pass/fail criteria.		

Table 7-2 describes the details necessary to perform the tests described in the EIA-364-1000 test sequences. Testing shall be done in accordance with EIA-364-1000 and the test procedures it identifies in such a way that the parameters/ requirements defined in Table 7-1 are met. Any information in this table supersedes EIA-364-1000.

**Table 7-2: EIA-364-1000 Test Details**

Test	Test Descriptions and Details	Pass/ Fail Criteria
<b>Mechanical/ Physical Tests</b>		
<b>Durability (preconditioning)</b>	EIA-364-09 To be tested with connector, cage, and module (Latches should not be locked)	No evidence of physical damage
<b>Durability (see Note 1)</b>	EIA-364-09 To be tested with connector, cage, and module (Latches should not be locked out per EIA-364-1000)	No visual damage to mating interface or latching mechanism
<b>Environmental Tests</b>		
<b>Mixed Flowing Gas (see Note 2)</b>	EIA-364-65 Class II See Table 4.1 in EIA-364-1000 for exposure times Test option Per EIA-364-1000: 2	10 mΩ MAX change from baseline
<b>Electrical Tests</b>		
<b>Low Level Contact Resistance (see Note 3)</b>	EIA-364-23 20 mV DC MAX, 100 mA MAX To include wire termination or connector-to-board termination	10 mΩ MAX change from baseline
<b>Dielectric Withstanding Voltage</b>	EIA-364-20 Method B 1000 VDC minimum for 1 minute Applied voltage may be product / application specific	No defect or breakdown between adjacent contacts -AND- 5 mA Max Leakage Current
<b>NOTES:</b> 1. If the durability requirement on the connector is greater than that of the module, modules may be replaced after their specified durability rating. 2. Test option, temperature, duration must be reported. 3. The first low level contact resistance reading in each test sequence is used to determine a baseline measurement. Subsequent measurements in each sequence are measured against this baseline.		

Table 7-3 describes the testing procedures necessary to validate performance criteria not validated by EIA-364-1000 testing. The tests are to be performed in such a way that the parameters/ requirements defined in Table 7-1 are met.

**Table 7-3: Additional Test Procedures**

Test	Test Descriptions and Details	Pass/ Fail Criteria
Mechanical/ Physical Tests		
Latched Mating Force	EIA-364-13 To be tested with cage, connector, and module without heat sinks Latching mechanism deactivated (locked out)	Refer to Table 7-1 -AND- No physical damage to any components
Latched Unmating Force	EIA-364-13 To be tested with cage, connector, and module without heat sinks Latching mechanism deactivated (locked out)	
Latch Retention	EIA-364-13 To be tested with cage, connector, and module without heat sinks Latching mechanism engaged (not locked out)	
Environmental Tests		
Storage Temperature	EIA-364-32 Method A, Test Condition 1, Duration 4 Use min and max field temperatures listed in Table 7-1 for temperature range	Refer to Table 7-1
Storage Humidity	EIA-364-31	Refer to Table 7-1
Electrical Tests		
Current	EIA-364-70 Method 3, 30-degree temperature rise Contacts energized: Individually	Refer to Table 7-1 for current magnitude

## Appendix A. System Mechanical Specification (Normative)


### A.1. Overview

All material within this appendix, whether defined as normative or informative, is subject to IP disclosure and reasonable and non-discriminatory (RAND) terms by SNIA SFF TA TWG member companies.

### A.2. PCB Layout

#### A.2.1. PCB Layout for 72P Connector Footprints

CABLES EMERGE FROM THIS SIDE OF THE MATED CONNECTORS




FOOT PRINT

#### NOTES:


1. Datum -A- is the top of the PCB
2. Pin-in-paste soldering method is recommended, including thru-hole housing tails
3. Signal assignments are identified in Section 4.2

Figure A-1: PCB Layout



## NOTES:

1. End grounds (END GND): Contacts 1, 28, 45, and 72; 0.45 wide
2. Grounds (GND): Contacts 4, 7, 10, 13, 16, 19, 22, 25, 48, 51, 54, 57, 60, 63, 66, & 69; 0.55 wide
3. Signals (S): All remaining contacts; 0.35 wide

**Figure A-2: Pad Width Detail 1**

NOTE: All contacts shown are sideband (SB) contacts

**Figure A-3: Pad Width Detail 2**

CABLES EMERGE FROM THIS SIDE OF THE MATED CONNECTORS





Appendix B. Minimum Connector Spacing Requirements (Informative)

DESCRIPTION	DIM "X"	DIM "Y"
HORIZONTAL EXIT WITH PULL TAB	28.60	30.00
HORIZONTAL EXIT NON-PULL TAB	34.50	30.00
ANGLE EXIT WITH PULL TAB	28.60	15.00
ANGLE EXIT NON-PULL TAB	34.50	15.00
VERTICAL EXIT WITH PULL TAB	28.60	12.00




Figure B-1: Minimum Connector Spacing Requirements for 72P Connector




Figure B-2: Outline of Mated Connector (144P) on PCB

Table B-1: Spacing Recommendation for Mating Receptable Cable Assemblies

DESCRIPTION	DIM "X"	DIM "Y"
HORIZONTAL EXIT WITH PULL TAB	56.10	30
ANGLE EXIT WITH PULL TAB	56.10	15



Figure B-3: Minimum Connector Spacing Requirements for 144P Connector

## Appendix C. Gatherability (Informative)

The connector system is designed with lead-in chamfers on the fixed-side and free-side to allow the parts to mate without stubbing when not perfectly aligned. This gatherability works when the mating receptacle is allowed to "float" and find its way to the center of the free-side slot when fully mated. **These features are designed for easier mating but the connector system is not intended for blind mate applications.** If the fixed-side connector is rigidly held in place then it must be on center.

### C.1 Type 1 Connector




Figure C-1: Lateral Gatherability




Figure C-2: Longitudinal Gatherability

To prevent damage to the connectors from over rotation proper care should be taken when mating and unmating connectors. **The connector system is not intended for blind mate applications.** Minimizing angular mating is critical to avoid any damage caused during mating, which can occur at angles larger than 5°.




Figure C-3: Angular Gatherability

## C.2 Type 2 Connector




Figure C-4: Lateral Gatherability





Figure C-5: Longitudinal Gatherability

To prevent damage to the connectors from over rotation, proper care should be taken when mating and unmating connectors. **The connector system is not intended for blind mate applications.** Minimizing angular mating

1 is critical to avoid any damage caused during mating, which can occur at angles larger than 5°.  
2



3  
4  
5  
**Figure C-6: Angular Gatherability**